



MULTIUSER 3.0 SYSTEM

Revox, the inventor of the multiroom, convinces with original studio sound quality and sustainability.



https://revox.com/en/multiuser-multiroom



Revox Multiuser | Multiroom System

Music should be where you are and tailored to your individual needs. A great musical experience creates a great sense of living and well-being. No matter whether you are in the living room, kitchen, wellness area or on the terrace. Intelligent multiroom solutions provide you with unique convenience and can be operated intuitively. Everything completely smart. Revox is the inventor of Multiroom and offers you the highest level of exclusivity with its products.


The Revox Multiuser | Multiroom Systems go much further than conventional products and enable a user-specific and individual solution for every user.

Completely individual

The new Multiuser 3.0 offers decisive advantages.

In addition to LAN, WLAN integration of several products is also possible for a multi-room application.

Each available source in the system can be saved individually as a favorite in the user's own profile. This concept creates a simple and immediately operable system, whether in one room or in several rooms.





Easiest Operation

A single press of a button is all it takes to bring your music into any room as easily as light. When it comes to operating the system, we go a decisive step further. For browsing music, but also for controlling the entire system, we consistently rely on wall controls in addition to the apps.

Multiuser 3.0 App Control

The easiest operation – worldwide. Patented by Revox.

- All sources in the system, whether local audio inputs or streaming services, can be added to the personal user favorites
- The start screen shows the user favorites directly. Open the app and immediately select and control your favorite source from your own favorites list
- User favorites can be grouped into folders for a very clear layout of the home screen
- Large player view with cover display, source information and direct save function
- Individual rooms can be controlled individually or grouped into zones
- Free apps for IOS and Android, Windows, Mac OS and Linux
- Browser-based web app for operation on a PC or touch panel

STUDIOCONTROL C200:

Android-based control with touchscreen and docking station

- Certified and therefore free access to apps in the Google Play Store
- Launcher function for a simplified user interface
- Accessible and available to everyone in the house
- Without login and visibility of personal apps/data

C18 Multiuser Wall Control:

Wall control unit for the Revox Multiuser System 3.0

- One-button operation via Revox wall control unit
- Freely configurable assignment of the button function in the configurator
- Can be individually labeled with text or icons
- Wired, therefore high stability and no radiation


C100 Multiuser Remote Control:

Infrared remote control with LED feedback

- Quick call button for 4 users and their user favorites
- Freely configurable assignment of the operating function in the configurator
- Operation of the TV set possible










Sources

So that you can take your own individual music with you from room to room, the multiuser system offers numerous music sources that can be saved directly under the user favorites for easy access.

- An Internet radio and podcast service, the streaming services from Tidal and Deezer and the Spotify Connect interface are permanently integrated into the multiuser system for each user profile
- The STUDIOMASTER M300/M500 and the M30 Multiuser Amplifier have an Airplay 2 interface
- The V400 Multiuser Server offers one Airplay 1 service per user, which can be distributed to all rooms
- A music server for all common formats is also an integral part of the system: MP3, FLAC, AAC, ALAC or WAV.
- The multiuser system has local audio inputs on the amplifiers. The analog, digital or HDMI sources can be played back synchronously in all rooms of the system.
- With search functions, radio stations, albums, artists or playlists can be found quickly and then saved under user favorites for easy access
- All audio streams and services that are not permanently integrated in the system (e.g. Apple Music, UPNP and DLNA streams) can be fed in via an audio-sensitive input on the multiuser amplifier and then operated via the provider's original app.



Revox - Studio Sound Quality

The claim for the highest sound quality is already in the name. We also consistently implement this claim with the Multiuser 3.0 System.

- Time-synchronized streaming from all sources via any of a user's rooms in CD audio quality (this function is currently unique on the streaming market)
- Playback of high-resolution audio formats up to 192 kHz / 24 bit (High Resolution)
- Integrated digital signal processor in all multiuser amplifiers to adapt to the type of loudspeaker used in the room (also for invisible flush-mounted speakers)
- Minimal response time when controlling audio sources and operation

Network Communication

The Multiuser 3.0 system components communicate with each other via a network and are LAN and WLAN compatible. This allows the system to be planned and used very flexibly.

- All components can be connected to the network via LAN and WLAN, except V400 Multiuser Server (LAN only)
- Time-synchronous multiroom audio distribution via LAN, WLAN and mixed operation (WLAN/LAN)
- WLAN interface deactivated during LAN operation, for a low-radiation environment
- WLAN capability makes it ideal for retrofitting when cable pulling is not possible



Multiuser 3.0 System Components

The multiuser system requires a server that provides the user profiles and the corresponding music sources. Depending on whether you are looking for a standalone or multiroom solution, different system components can be used or combined.



STUDIOMASTER M500/M300

The **STUDIO**MASTER can be used as a server and room amplifier at the same time. It is a high-end audio system with a powerful integrated amplifier, DAB+, FM tuner, an OLED glass front display and a wide range of possible audio sources and connection options.

- M500: 2 x 180 watts RMS / M300: 2 x 120 watts RMS
- 4 user licenses included in the purchase price
- LAN and WLAN capable
- Music sources: iRadio, Podcast, Spotify, Tidal, Deezer, AirPlay2
- Local inputs: HDMI-ARC, Bluetooth, FM/DAB+, analog, coaxial, optical
- Remote maintenance access possible via optional license



V400 Multiuser Server

The V400 Multiuser Server supplies all room amplifiers and multiuser modules with the associated streams (e.g. the services for the music server, AirPlay, Spotify, Deezer, Tidal or Internet radio) and coordinates the operation of apps or home control systems. It is a pure server and is therefore particularly suitable for multiroom solutions with several rooms.

- 2 user licenses included in the purchase price, number of users expandable to 16 users
- Music sources: iRadio, Podcast, Spotify, Tidal, Deezer, AirPlay1, music server
- Remote maintenance access possible via optional license
- Space-saving installation also possible in rack (1U)



M30 Multiuser Amplifier

The Revox M30 Multiuser Amplifier is an amplifier for room sound reinforcement within the Revox Multiuser System. It has an excellent DSP stereo power amplifier and has sufficient power for virtually any loudspeaker. Thanks to its flexible network integration via WLAN or LAN, it can be used anywhere in the house or apartment.

- 2 x 50 watts RMS with separate DSPs for power amplifier and pre-out
- LAN and WLAN capable
- Wall or rack mounting possible with optional brackets (1U)
- In/Out module with local inputs optionally available

Reliability and Sustainability

The development focus at Revox has always been on the quality and durability of the products and systems.

- Proprietary and modular hardware design guarantees future-proofing and independence
- Revox's own software protocols ensure a high level of operational reliability and independence
- Durability thanks to carefully developed and selected components of the highest quality
- New technologies can be integrated at any time through software or hardware updates
- During further development, the highest value is placed on a stable and consistent interface. Guarantee of a completely open API (application programming interface) for integrators.

Interfaces

- The multiuser system offers numerous interfaces (triggers) for controlling the multiuser components or products from other suppliers. These include infrared triggers, HDMI CEC triggers, triggers with input and output voltage, sensitive audio triggers, state-dependent triggers, alarm-dependent triggers and much more
- Revox offers freely configurable proxy services on the system to control third-party products. For example, an external CD player can be switched on and controlled directly when the input source is called up.

Building automation connection

- The multiuser system has a well-documented network interface, which greatly simplifies integration into building automation systems thanks to plain text commands and status feedback messages
- The open and well-documented network interface to the Multiuser Server is characterized by its consistency and is available to any interested party (API).
- Revox is continuously working with partners on standardized plug-ins and integration modules for various smart home systems. Ask us for more information.

Multiuser 3.0 KNX Gateway



With the Revox Multiuser 3.0 KNX Gateway, the Multiuser System can be conveniently integrated into the KNX home control system.

The gateway serves as an interface between the Revox Multiuser System and the KNX world. The gateway has a predefined database that facilitates integration and contains all relevant status feedback.







Revox (Schweiz) AG Eichwatt 5 CH 8105 Regensdorf Tel: +41 44 871 66 11 www.revox.com

Revox Deutschland GmbH Am Krebsgraben 15 D 78048 VS-Villingen Tel +49 7721 8704 0 www.revox.com

Revox Handels GmbH Josef-Pirchl-Str. 38 AT 6370 Kitzbühel Tel: +43 53 56 66 299 www.revox.com