



Price List 2024 from 2024/05/17

**Discover the new dimensions of  
true-to-original studio sound quality.**



# Table of contents









<b>Revox Audio Systems</b>	<b>4</b>
<b>STUDIOMASTER</b>	<b>4</b>
Turntable	6
Revox Joy Systems	8
Audio Systems Accessories	9
<b>Revox Wireless Speakers</b>	<b>10</b>
<b>STUDIOART</b>	<b>10</b>
<b>STUDIOART</b> Accessories	<b>11</b>
<b>Revox Speakers</b>	<b>13</b>
Scala Speakers	13
G Series Speakers	14
Indoor/Outdoor Speakers	15
Outdoor Speakers	16
S Series Speakers	17
Speaker Accessories	18
Built-in Speakers	19
Installation Housings	22
Invisible Speakers	23
Invisibles Accessories	29
<b>Revox Multiuser   Multiroom System</b>	<b>30</b>
Multiuser Hardware	31
M204 Accessories	34
Multiuser Licences	34
Global Caché Products	35
<b>Revox Control</b>	<b>37</b>








## Revox Audio Systems STUDIOMASTER

 	<p><b>Revox STUDIOMASTER M500</b></p> <p>The <b>STUDIOMASTER M500</b> is equipped with a powerful, built-in amplifier, a DAB+, FM tuner and an OLED glass front display. It also comes with multiple connection options and accommodate a wide range of audio sources. Playback options include Wi-Fi, LAN, Bluetooth and AirPlay 2. It is also able to stream iRadio, Spotify, Tidal, Deezer. HDMI and other ports connect with TVs, tape recorders, headphones and CD players. The unique Revox Multiuser concept enables individual listening options for several users in one room. The Multiroom solution builds on the modular approach to deliver the same versatility across different rooms. Controllable via the unique Revox Multiuser App.</p> <p>Power: 2x max. 180 Watt RMS</p> <p><b>Order numbers:</b>           <b>156500500 silver/black glass</b>    <b>156500510 white/black glass</b>    <b>156500520 black/black glass</b></p>	<p>3,950.- € RRP incl. VAT</p>
---	--	--

 	<p><b>Revox STUDIOMASTER M300</b></p> <p>The <b>STUDIOMASTER M300</b> is equipped with a powerful, built-in amplifier, a DAB+, FM tuner and an OLED glass front display. It also comes with multiple connection options and accommodate a wide range of audio sources. Playback options include Wi-Fi, LAN, Bluetooth and AirPlay 2. It is also able to stream iRadio, Spotify, Tidal, Deezer. HDMI and other ports connect with TVs, tape recorders, headphones and CD players. The unique Revox Multiuser concept enables individual listening options for several users in one room. The Multiroom solution builds on the modular approach to deliver the same versatility across different rooms. Controllable via the unique Revox Multiuser App.</p> <p>Power: 2x max. 120 Watt RMS</p> <p><b>Order numbers:</b>           <b>156500300 silver/black glass</b>    <b>156500310 white/black glass</b>    <b>156500320 black/black glass</b></p>	<p>3,250.- €  RRP  incl. VAT</p>
 + 	<p><b>Revox STUDIOMASTER M500 - Bundle with C200</b></p> <p>Revox Audio System <b>STUDIOMASTER M500</b> together with the Revox <b>STUDIOCONTROL C200</b> at a special price. For details of the <b>STUDIOMASTER M500</b>, see page 4, information about the <b>STUDIOCONTROL C200</b> on page 33.</p> <p><b>Order numbers:</b>           <b>156509500 silver/black glass</b>    <b>156509510 white/black glass</b>    <b>156509520 black/black glass</b></p>	<p>4,750.- €  RRP  incl. VAT</p>
 + 	<p><b>Revox STUDIOMASTER M300 - Bundle with C200</b></p> <p>Revox Audio System <b>STUDIOMASTER M300</b> together with the Revox <b>STUDIOCONTROL C200</b> at a special price. For details of the <b>STUDIOMASTER M300</b>, see above, information about the <b>STUDIOCONTROL C200</b> on page 33.</p> <p><b>Order numbers:</b>           <b>156509300 silver/black glass</b>    <b>156509310 white/black glass</b>    <b>156509320 black/black glass</b></p>	<p>4,050.- €  RRP  incl. VAT</p>
 	<p><b>Revox Multiuser App for iOS and Android</b></p> <p>The patented simplest operation - worldwide. The newly developed Revox Multiuser App enables a very unique operation. Every user always has his or her favourites on their personal start page of the App. Each user can create their own user profile in the App. Individual rooms can be controlled individually and zones can be set up and operated.</p>	<p>Free of charge  in Apple App-Store  and Google Play Store</p>




## Audio Server


	<p><b>Revox Joy S37 Audio Server</b></p> <p>Revox audio server with drive to rip CDs; design matching the Revox Joy network receivers; low-nose operation due to external power-supply and fanless electronics; integrated 1 TB hard disk for around 3600 CDs in full CD quality.</p> <p><b>Order numbers:            155405100 white/white glass</b></p>	<p>2,950.- € RRP incl. VAT</p>
	<p><b>Revox Upgrade SSD for Audio Server</b></p> <p>Optional SSD memory instead of hard disk in the Audio Server S37. Ideal for operation with an external hard disk such as a network hard disk. On request.</p> <p><b>Order numbers:            155405902 256 GB                                  155405905 512 GB</b></p>	<p>120.- € 300.- € RRP incl. VAT</p>
	<p><b>Revox DAB+/FM frequency separator</b></p> <p>For the simultaneous connection of an FM and DAB antenna.</p> <p><b>Order numbers:            156109701</b></p>	<p>50.- € RRP incl. VAT</p>





## Revox Turntable

	<p><b>Revox STUDIOMASTER T700 Turntable - Black Edition</b></p> <p>The <b>STUDIOMASTER T700</b> is a high-end turntable with a very unique integrated MC phono preamplifier. It is made of the highest-grade materials, and fascinates with an elegant and timeless design.</p> <p>Equipped with the high-quality MC cartridge Ortofon Quintet Black S.</p> <p>Distortions: 0,005 %          Channel offset: 0,2 dB          Channel separation: &gt; 80 dB          Subsonicfilter: 10 Hz with first-order high pass (6 dB filter)          RIAA precision: ± 0,2 %          Impedance matching:          6 levels: 470 Ω, 220 Ω, 100 Ω, 47 Ω, 1 kΩ, 2 kΩ          Dimensions: W 470 x D 336 x H 156 mm without sockets</p> <p><b>Order number:                    127900600 Black Edition</b></p>	<p>3,950.- €          RRP          incl. VAT</p>
---	---	--


	<p><b>Revox STUDIOMASTER T700 Turntable</b></p> <p>The <b>STUDIOMASTER T700</b> is a high-end turntable with a very unique integrated MC phono preamplifier. It is made of the highest-grade materials, and fascinates with an elegant and timeless design.</p> <p>The pre-mounted Ortofon Quintet Bronze MC pick-up rounds off this high-quality product.</p> <p>Distortions: 0,005 %          Channel offset: 0,2 dB          Channel separation: &gt; 80 dB          Subsonicfilter: 10 Hz with first-order high pass (6 dB filter)          RIAA precision: ± 0,2 %          Impedance matching:          6 levels: 470 Ω, 220 Ω, 100 Ω, 47 Ω, 1 kΩ, 2 kΩ          Dimensions: W 470 x D 336 x H 156 mm without sockets</p> <p><b>Order number:                    127900500</b></p>	<p>3,750.- €          RRP          incl. VAT</p>
---	--	--









## Revox Wireless Speakers STUDIOART

	<p><b>Revox STUDIOART S100 Audiobar</b></p> <p>Active 3.1 speaker with highest quality up to 192 kHz/ 24 bit for an impressive music and TV / home cinema experience - even at low volume and with excellent speech reproduction. Integrated dualport bass reflex technology. The S100 is operated with the practical remote control, directly on the device or via the Revox app. And it can be easily combined with other <b>STUDIOART</b> products, also as a multiroom system.</p> <p><b>Order numbers:</b>            <b>141010100 black</b>   <b>141010200 white</b></p>	<p>1,595.- € RP incl. VAT</p>
	<p><b>Revox STUDIOART A100 Room Speaker</b></p> <p>Active loudspeaker with highest reproduction quality of up to 192 kHz/24 bit. Integrated bass reflex technology. The control panel enables access to music sources at any time, even without the Revox app. Mains operation and battery.</p> <p><b>Order numbers:</b>            <b>141020100 black</b>   <b>141020200 white</b></p>	<p>495.- € RP incl. VAT</p>
	<p><b>Revox STUDIOART P100 Room Speaker</b></p> <p>Passive additional speaker for stereo playback with the <b>STUDIOART A100</b> in the highest playback quality. Connection with a speaker cable.</p> <p><b>Order numbers:</b>            <b>141030100 black</b>   <b>141030200 white</b></p>	<p>195.- € RP incl. VAT</p>

	<p><b>Revox STUDIOART B100 Bass Module</b></p> <p>Powerful bass reflex subwoofer with dynamically optimized, precise bass reproduction and minimal distortion. Integrated dual port bass reflex technology. Wireless radio connection (KleerNet) to other <b>STUDIOART</b> loudspeakers. Can also be used universally with other Revox speakers.</p> <p><b>Order numbers:</b>        <b>141070100 black</b>                                          <b>141070200 white</b></p>	<p>995.- €          RRP          incl. VAT</p>
---	---	--

## STUDIOART Accessories

	<p><b>Revox Transport Bag for STUDIOART Room Speaker</b></p> <p>Transport bag for <b>STUDIOART</b> suitable for <b>STUDIOART A100</b> and <b>STUDIOART P100</b> Room Speakers. High-quality hard case padded inside and outside. Including carrying strap.</p> <p><b>Order number:</b>        <b>141020102</b></p>	<p>36.- €          RRP          incl. VAT</p>
	<p><b>Spectral Floor Stand for STUDIOART Room Speaker</b></p> <p>Floor stand for <b>STUDIOART A100</b> and <b>STUDIOART P100</b> Room Speaker. Easy attachment, concealed cable routing. Colored glass base. On request.</p> <p><b>Order numbers:</b>        <b>141090001 black glass base</b>                                          <b>141090002 silver glass base</b></p>	<p>170.- €          RRP          incl. VAT</p>
	<p><b>Revox Wall Bracket (2pcs) for STUDIOART Room Speaker</b></p> <p>Easy installation, including necessary accessories. Safety tested and UL listed. 2 pieces per packing unit.</p> <p><b>Order number:</b>        <b>141020101</b></p>	<p>59.- €          RRP          incl. VAT</p>
	<p><b>Revox Wall Bracket for STUDIOART S100 Audiobar</b></p> <p>For positioning the Revox Audiobar on the wall. Easy installation, safetytested. 2 pieces needed for the mount.</p> <p><b>Order numbers:</b>        <b>141010101 black</b>                                          <b>141010201 white</b></p>	<p>30.- €          RRP          incl. VAT</p>

## STUDIOART Operation


	<p><b>Revox STUDIOART App</b></p> <p>Steuern Sie Ihre <b>STUDIOART</b> Produkte per App. Auch Multiroom Gruppen können direkt in der Geräteübersichtsliste durch eine drag &amp; drop Funktion erstellt oder getrennt werden.</p>	<p>Free of charge in Apple App-Store and Google Play Store</p>
---	---	--








## Revox Speakers




### Scala Speakers

	<p><b>Revox Scala S120</b></p> <p>The Scala 120 impresses not only acoustically, but also visually with its design. The 2.5-way bass reflex speaker convinces by delivering a perfect music experience. Our engineers developed a special milling process and a tailored bonding and pressing technique specifically for the production of the highly complex wooden cabinet. With cabinet walls stiffened multiple times, the appeal of the Scala lies in its handcrafted finishing of the highest standard.</p> <p>120/150 Watt – 40 Hz to 30 kHz – 88 dB (2,83V/1m)  Dimensions: W 128 x D 187 x H 1215 mm  Dimensions glass base: W 250 x D 250 x H 12 mm</p> <p><b>Order numbers:</b>            <b>108471600 white</b>     <b>108471700 black</b></p>	<p>2,750.- €  RRP  incl. VAT</p>
---	---	--






## G Series Speakers


	<p><b>Revox Prestige G140</b></p> <p>3-way bass reflex speaker that offers highly impressive sound reproduction with deep bass, clearly defined midranges, and precise trebles. This elegant sound column with an 8 mm thick glass front panel and glass base delivers excellent sound results, not only as a stereo speaker, but also in sophisticated surround arrangements. Glass front panel and glass base.</p> <p>140/180 Watt – 36 Hz to 30 kHz – 90 dB (2,83V/1m)          Dimensions: W 140 x D 270 x H 1262 mm          Dimensions glass base: W 260 x D 390 x H 12 mm</p> <p><b>Order numbers:</b>        <b>108422500 silver/black glass</b>                                           <b>108422600 white/white glass</b>                                           <b>108423600 black/black glass</b></p>	<p>2,150.- €          RRP          incl. VAT</p>
	<p><b>Revox Elegance G120</b></p> <p>2.5-way bass reflex speaker with highly elegant slender design and excellent sound performance, also thanks to the D'Appolito chassis arrangement. Glass front panel and glass base.</p> <p>120/150 Watt – 40 Hz to 30 kHz – 86,5 dB (2,83V/1m)          Dimensions: W 104 x D 160 x H 1112 mm          Dimensions glass base: W 210 x D 270 x H 12 mm</p> <p><b>Order numbers:</b>        <b>108423000 silver/black glass</b>                                           <b>108423100 white/white glass</b>                                           <b>108423500 black/black glass</b></p>	<p>1,450.- €          RRP          incl. VAT</p>
	<p><b>Revox Column G70</b></p> <p>Slender 2.0-way bass reflex speaker with great sound, also thanks to the D'Appolito chassis arrangement. Glass front panel and glass base.</p> <p>70/100 Watt – 42 Hz to 30 kHz – 86,5 dB (2,83V/1m)          Dimensions: W 104 x D 104 x H 1112 mm          Dimensions glass base: W 215 x D 215 x H 12 mm</p> <p><b>Order numbers:</b>        <b>108421500 silver/black glass</b>                                           <b>108421600 white/white glass</b>                                           <b>108423400 black/black glass</b></p>	<p>990.- €          RRP          incl. VAT</p>

	<p><b>Revox Center G100</b></p> <p>Surround solution for your home cinema. Delivers realistic voice reproduction and centre sound placement for authentic surround sound. Can be combined with speakers from the G series.</p> <p>100/130 Watt – 45 Hz to 30 kHz – 88 dB (2,83V/1m) Dimensions: W 470 x D 260 x H 104 mm</p> <p><b>Order numbers:</b>           <b>108422100 silver/black glass</b>    <b>108422200 white/white glass</b>    <b>108423700 black/black glass</b></p>	<p>990.- € RRP incl. VAT</p>
	<p><b>Revox Shelf G70</b></p> <p>Beautifully designed 2-way bass reflex compact speaker for perfect sound with impressive bass response even from a small size, also thanks to the D'Appolito chassis arrangement.</p> <p>4 Ohm – 70/100 Watt – 45 Hz to 30 kHz – 90 dB (2,83V/1m) Dimensions: W 105 x D 218 x H 320 mm (without cord)</p> <p><b>Order numbers:</b>           <b>108421700 silver/black glass</b>    <b>108421800 white/white glass</b>    <b>108421900 black/black glass</b></p>	<p>790.- € RRP incl. VAT</p>
	<p><b>Revox Mini G50</b></p> <p>2-way bass reflex speaker, smallest in the G series. Outstanding sound quality, features impressive base response.</p> <p>4 Ohm – 50/70 Watt – 55 Hz to 30 kHz – 86 dB (2,83V/1m) Dimensions: W 104 x D 130 x H 180 mm</p> <p><b>Order numbers:</b>           <b>108420500 silver/black glass</b>    <b>108420600 white/white glass</b>    <b>108423200 black/black glass</b></p>	<p>490.- € RRP incl. VAT</p>




## Indoor/Outdoor Speakers

	<p><b>Revox Botanic 70-4</b></p> <p>The sounding plant pot for indoors and outdoors. Thanks to four powerful INV HEX speakers from Revox, the sides of the fiberglass plant pot are used for impressive sound reproduction. Thanks to the protected installation of the speakers, the Botanic 70 -4 is weatherproof and can also be used flexibly outdoors.</p> <p>Dimensions: W 70 x D 70 x H 70 cm, color: anthracite, performance: 4x 60 watts, impedance: 4x 8 ohms, protection: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)</p> <p><b>Order number: 108465704 Botanic 70-4</b></p>	<p>4.250,- € RRP incl. VAT</p>
	<p><b>Revox Botanic 70-2</b></p> <p>The sounding plant pot for indoors and outdoors. Thanks to two powerful INV HEX speakers from Revox, the sides of the fiberglass plant pot are used for impressive sound reproduction. Thanks to the protected installation of the speakers, the Botanic 70 -2 is weatherproof and can also be used flexibly outdoors.</p> <p>Dimensions: W 70 x D 70 x H 70 cm, color: anthracite, performance: 2x 60 watts, impedance: 2x 8 ohms, protection: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)</p> <p><b>Order number: 108465702 Botanic 70-2</b></p>	<p>3.800,- € RRP incl. VAT</p>
	<p><b>Revox Botanic 50-2</b></p> <p>The sounding plant pot for indoors and outdoors. Thanks to two powerful INV HEX speakers from Revox, the sides of the fiberglass plant pot are used for impressive sound reproduction. Thanks to the protected installation of the speakers, the Botanic Pot 50 -2 is weatherproof and can also be used flexibly outdoors.</p> <p>Dimensions: W 50 x D 50 x H 50 cm, color: anthracite, performance: 2x 60 watts, impedance: 2x 8 ohms, protection: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)</p> <p><b>Order number: 108465502 Botanic 50-2</b></p>	<p>2.400,- € RRP incl. VAT</p>

## Outdoor Speakers




	<p><b>Revox Outdoor I80</b></p> <p>Splash-proof 2-way speaker for outdoor use. The wall bracket allows for vertical or horizontal mounting.</p> <p>6 Ohm – 80/110 Watt – 50 Hz to 22 kHz – 89dB (2,83V/1m)          Dimensions: W 166 x D 166 x H 250 mm,          Depth incl. bracket: 190 mm, weight: 2,8 kg</p> <p><b>Order numbers:</b></p> <p><b>108457500 white</b>  <b>108457600 black</b>  <b>108457700 white with IR Receiver</b>  <b>108457760 black with IR Receiver</b></p>	<p>380.- €          440.- €          470.- €          530.- €          RRP          incl. VAT</p>
---	---	---

## S Series Speakers

	<p><b>Revox Piccolo S60</b></p> <p>2-way bass reflex speaker with impressive sound quality from a highly compact format, high-performance bass reflex system for powerful base response.</p> <p>60/80 Watt – 60 Hz to 20 kHz – 88,5 dB (2,83V/1m)          Dimensions: W 140 x T 140 x H 140 mm</p> <p><b>Order numbers:</b></p> <p><b>108443300 white</b>  <b>108444600 black</b></p>	<p>390.- €          RRP          incl. VAT</p>
	<p><b>Revox Bass S04 Active</b></p> <p>Powerful subwoofer with dynamic-optimised bass reproduction and acoustic decoupling through spikes. Connection to the audio system possible via analogue in (Cinch) or with Revox <b>STUDIOART</b> S100 or A100 via radio (KleerNet).</p> <p>230 W /160 W (power supply / speaker output) - 30 Hz to 200 Hz (IEC) - 110 dB          Dimensions: H 450 x W 400 x D 420 mm</p> <p><b>Order numbers:</b></p> <p><b>108443900 white</b>  <b>108445100 black</b></p>	<p>1,550.- €          RRP          incl. VAT</p>
	<p><b>Revox STUDIOART B100 Bass Module</b></p> <p>see page 11</p> <p><b>Order numbers:</b></p> <p><b>141070100 black</b>  <b>141070200 white</b></p>	<p>995.- €          RP          incl. VAT</p>



## Speaker Accessories

	<p><b>Revox Wall Mount for Mini/Piccolo, solid wall</b></p> <p>Wall mount suitable for Mini G50 speakers and Piccolo speakers. Continuous alignment of the speakers possible. Suitable for solid walls.</p> <p><b>Order number: 108443400</b></p>	<p>80.- € RRP incl. VAT per piece</p>
	<p><b>Revox Wall Mount for Mini/Piccolo, hollow wall</b></p> <p>Wall mount suitable for Mini G50 speakers and Piccolo speakers. Continuous alignment of the speakers possible. Suitable for hollow walls.</p> <p><b>Order number: 108460600</b></p>	<p>105.- € RRP incl. VAT per piece</p>
	<p><b>Revox Wall Bracket for Mini/Shelf, flat (2 pieces)</b></p> <p>Extremely flat wall bracket for Mini G50 and Shelf G70; two wall brackets per packaging unit. Fixed position of the speakers parallel to the wall. Suitable for hollow walls and for solid walls.</p> <p><b>Order numbers: 108420700</b></p>	<p>70.- € RRP incl. VAT</p>






## Built-In Speakers




With the Revox Built-in Speakers, we've designed a series which combines amazing sound and the greatest optic discretion, because the speaker frame is practically invisible to the eye. These premium audio transducers fit seamlessly into any room décor and surprise the listener with both their sound as well as their remarkable presence and fullness.

Infra-red receivers are available optionally for all speakers in the Built-in series. Hidden entirely behind the metal grill, the receiver controls the Revox Multiuser System on site remotely, even when the amplifier is in a different room. The Built-in Speakers are also insensitive to moisture and can also be installed in the bathroom or in a protected outdoor area, for example in a canopy for an outdoor seating area.

The stereo version with double tweeters is intended to provide excellent sound in particularly small spaces. The low installation depth also allows a problem-free and easy installation of all speakers of the I series.



A special highlight: The Revox amplifiers of the multiuser system contain the individual frequency responses of all Revox Built-in Speakers. This specific frequency correction guarantees studio sound quality that is true to the original.

	<p><b>Revox Inceiling I52</b></p> <p>Round 2-way built-in ceiling speakers (white) for installation in suspended ceilings of medium-sized rooms.</p> <p>Technical data: frequency range within ceiling: 50 Hz - 20 kHz (IEC); frequency range with Revox housing: 60 Hz - 20 kHz; crossover frequency: 4 kHz, performance: 50/70 Watt; impedance: 6 Ohm, efficiency: 88 dB/2.83V/1m; receiv. amplifier power: 20-100 Watt</p> <p>outer diameter: 202 mm, cutout diameter: 165 mm; installation depth: 75 mm; weight: 1,2 kg</p> <p><b>Order numbers:</b></p> <p><b>108459000 white</b>  <b>108459100 black</b>  <b>108459200 white with IR Receiver</b>  <b>108459260 black with IR Receiver</b></p>	<p>240.- €  270.- €  390.- €  420.- €  RRP  incl. VAT</p>
	<p><b>Revox Inceiling I82</b></p> <p>Round 2-way built-in ceiling speakers (white) for installation in suspended ceilings of medium-sized and large rooms.</p> <p>Technical data: frequency range within ceiling: 32 Hz - 20 kHz (IEC); frequency range with Revox housing: 48 Hz - 20 kHz; crossover frequency: 3.8 kHz; performance: 80/110 Watt; impedance: 6 Ohm; efficiency: 90 dB/2.83V/1m; receiv. amplifier power: 20-150 Watt</p> <p>outer diameter: 273 mm; cutout diameter: 238 mm; installation depth: 95 mm; weight: 2,1 kg</p> <p><b>Order numbers:</b></p> <p><b>108459500 white</b>  <b>108459600 black</b>  <b>108459700 white with IR Receiver</b>  <b>108459760 black with IR Receiver</b></p>	<p>350.- €  380.- €  520.- €  550.- €  RRP  incl. VAT</p>
	<p><b>Revox Inceiling I82 Stereo</b></p> <p>Round double 2-way built-in ceiling speakers (white) for installation in suspended ceilings.</p> <p>Technical data: frequency range within ceiling: 32 Hz - 20 kHz (IEC); frequency range with Revox housing: 48 Hz - 20 kHz; crossover frequency: 2.5 kHz; performance: 2x40/2x60 Watt; impedance: 2x6 Ohm; efficiency: 90 dB/2.83V/1m; receiv. amplifier power: 2x20-2x75 Watt</p> <p>outer diameter: 273 mm; cutout diameter: 238 mm; installation depth: 95 mm; weight: 2,3 kg</p> <p><b>Order numbers:</b></p> <p><b>108459800 white</b>  <b>108459850 black</b>  <b>108459900 white with IR Receiver</b>  <b>108459960 black with IR Receiver</b></p>	<p>470.- €  500.- €  620.- €  650.- €  RRP  incl. VAT</p>




	<p><b>Revox Inwall I52</b></p> <p>Angular 2-way built-in speakers (white), for installation in wall coverings of medium-sized rooms.</p> <p>Technical data: frequency range within ceiling: 50 Hz - 20 kHz (IEC); frequency range with Revox housing: 60 Hz - 20 kHz; crossover frequency: 4 kHz; performance: 50/70 Watt; impedance: 6 Ohm; efficiency: 88 dB/2.83V;</p> <p>outer dimensions: 172 x 172 mm; cutout dimensions: 148 x 148 mm; installation depth: 75 mm; weight: 1,2 kg</p> <p><b>Order numbers:</b></p> <p><b>108458000 white</b> 240.- €</p> <p><b>108458100 black</b> 270.- €</p> <p><b>108458200 white with IR Receiver</b> 390.- €</p> <p><b>108458260 black with IR Receiver</b> 420.- €</p> <p>RRP incl. VAT</p>	
	<p><b>Revox Inwall I82</b></p> <p>Angular 2-way built-in speakers (white), for installation in wall coverings of medium-sized and large rooms.</p> <p>Technical data: frequency range within ceiling: 32 Hz - 20 kHz (IEC); frequency range with Revox housing: 48 Hz - 20 kHz; crossover frequency: 3.8 kHz; performance: 80/110 Watt; impedance: 6 Ohm; efficiency: 90 dB/2.83V/1m;</p> <p>outer dimensions: 250 x 250 mm; cutout dimensions: 222 x 222 mm; installation depth: 95 mm; weight: 2,1 kg</p> <p><b>Order numbers:</b></p> <p><b>108458500 white</b> 350.- €</p> <p><b>108458600 black</b> 380.- €</p> <p><b>108458700 white with IR Receiver</b> 520.- €</p> <p><b>108458760 black with IR Receiver</b> 550.- €</p> <p>RRP incl. VAT</p>	
	<p><b>Revox Inwall I82 Stereo</b></p> <p>Angular double 2-way built-in speakers (white), for installation in wall coverings.</p> <p>Technical data: frequency range within ceiling: 32 Hz - 20 kHz (IEC); frequency range with Revox housing: 48 Hz - 20 kHz; crossover frequency: 2.5 kHz; performance: 2x40/2x60 Watt; impedance: 2x6 Ohm; efficiency: 90 dB/2.83V/1m;</p> <p>outer dimensions: 250 x 250 mm; cutout dimensions: 222 x 222 mm; installation depth: 5 mm; weight: 2,3 kg</p> <p><b>Order numbers:</b></p> <p><b>108458800 white</b> 470.- €</p> <p><b>108458850 black</b> 500.- €</p> <p><b>108458900 white with IR Receiver</b> 620.- €</p> <p><b>108458960 black with IR Receiver</b> 650.- €</p> <p>RRP incl. VAT</p>	



## Installation Aids

	<p><b>Revox Trimless Mounting Kit - I52 Speaker</b></p> <p>For flush mounting of I52 recessed loudspeakers in drywalls and ceilings. We recommend the additional use of a Secobox (order no. 179146200).</p> <p>Material: MDF white primed, dimensions: 261 x 261 x 25 mm, cut-out 165 mm round (Inceiling) resp. cut-out 148 x 148 mm square (Inwall).</p> <p>Incl. 4 double-sided adhesive dots for fixing the Secoboxx. Packed in shrink-wrap with enclosed operating instructions.</p> <p><b>Order numbers:</b>           <b>179146210 for Inceiling I52</b>   <b>179146220 for Inwall I52</b></p>	<p>125.- € RRP incl. VAT per piece</p>
	<p><b>Revox Trimless Mounting Kit - I82 Speaker</b></p> <p>For flush mounting of I82 recessed loudspeakers in drywalls and ceilings. We recommend the additional use of a Secoboxx (order no. 179146200).</p> <p>Material: MDF white primed, dimensions: 339 x 339 x 25 mm, cut-out 238 mm round (Inceiling) resp. cut-out 222 x 222 mm square (Inwall).</p> <p>Incl. 4 double-sided adhesive points for fixing the Secoboxx. Packed in shrink-wrap with enclosed operating instructions.</p> <p><b>Order numbers:</b>           <b>179146230 for Inceiling I82</b>   <b>179146240 for Inwall I82</b></p>	<p>142.- € RRP incl. VAT per piece</p>

## Installation Housings

	<p><b>Euroboxx</b></p> <p>Ceiling installation housing consisting of EPS base body with glued-in OSB rear wall cover and OSB front with cut-out for installation in concrete ceilings.</p> <p>Dimensions Euroboxx M for I52 330 × 330 × 160 mm (L × W × H); Installation depth max. 145 mm</p> <p>Dimensions Euroboxx L for I82 390 × 390 × 175 mm (L × W × H); Installation depth max. 175 mm</p> <p><b>Order numbers:</b></p> <p><b>179144000 for Inceiling I52</b></p> <p><b>179145000 for Inwall I52</b></p> <p><b>179144101 for Inceiling I82</b></p> <p><b>179145100 for Inwall I82</b></p>	<p>140.- €</p> <p>140.- €</p> <p>152.- €</p> <p>152.- €</p> <p>RRP incl. VAT</p>
	<p><b>Wallboxx</b></p> <p>Universal installation housing Wallboxx, designed for masonry and concrete walls. The Wallboxx enables professional installation of built-in speakers. Front and rear panels are made of OSB and integrate seamlessly into the workflow for easy further processing of the wall surface. The surrounding base body made of EPS is low in resonance and has sound-insulating properties. The loudspeaker opening has to be made by a self-cut-out.</p> <p>Dimensions Wallboxx M for I52 435 × 390 × 120 mm (L × W × H)</p> <p>Dimensions Wallboxx L for I82 590 × 435 × 120 mm (L × W × H)</p> <p><b>Order numbers:</b></p> <p><b>179146000 for all I52</b></p> <p><b>179146100 for all I82</b></p>	<p>281.- €</p> <p>293.- €</p> <p>RRP incl. VAT</p>
	<p><b>Secoboxx</b></p> <p>Universal recessed wall and ceiling housing for Inwall I52, Inceiling I52, Inwall I82 and Inceiling I82. Designed for suspended ceilings and drywalls. Recessed enclosure consisting of high-quality acoustic panels. Optimum protection against dust, insects and drizzle. The loudspeaker opening has to be made by a self-cut-out, the rest is prepared ready for mounting and easy to install.</p> <p>Dimensions Secoboxx XS for all I52 &amp; I82 290 × 290 × 100 mm (L × W × H)</p> <p><b>Order numbers:</b></p> <p><b>179146200 for all I52 &amp; I82</b></p>	<p>116.- €</p> <p>RRP incl. VAT</p>



## Invisible Speakers





The innovative, millimetre-thick flat loudspeakers are installed completely hidden below the plaster, paint or wallpaper, turning your wall or ceiling into invisible sources of sound. It's an uncanny listening experience: the soundboards were developed specifically for this purpose to provide a flat emission. This makes the harmonious sound equally enjoyable from anywhere in the room, regardless of where the listener is. Unleash your imagination! With the Revox Invisible speakers, there's no longer any limit to your decorating ideas.

The implementation of the audio solution can not be compared to that with conventional speakers. In addition, it varies depending on the type of installation or processing of the surface. When installing the loudspeaker, it must be taken into account that it is no longer accessible afterwards without destroying it. A correct installation - the rules of DIN drywall construction, the basics of painting and plastering technology and the assembly instructions for the products of the Invisible series - must therefore be observed.






The Invisible loudspeakers can be operated with certain amplifiers. The Revox the M30 Multiuser Amplifier, **STUDIOMASTER M500**, **STUDIOMASTER M300** and the V219 Multiuser Amplifier offer options for connecting these loudspeakers.






**For professional advice, please contact your authorized Revox partner or Revox itself.**





	<p><b>Revox INV UNIT</b></p> <p>Panel loudspeakers installed invisibly under plaster, paint or wallpaper. Flat radiation characteristics. Full-range speaker with special polymer membrane equipped with high-performance subwoofer and exciter. Especially for invisible integration in drywall, solid construction, walls and ceilings.</p> <p>Dimensions: 900 x 410 x 97 mm, 4 Ohm, 120 Watt</p> <p><b>Order number: 108469630</b></p>	<p>1,300.- € RRP incl. VAT per piece</p>
	<p><b>Revox INV 40 aqua slim</b></p> <p>Surface loudspeaker particularly suitable for invisible background sound in rooms with increased humidity such as bathrooms and swimming pools. With polymer, moisture-protected special membrane for integration in dry construction, solid construction, walls and ceilings. Preferably on and in expansion panels to improve the room acoustics made of glass granulate expanded glass panels.</p> <p>Dimensions: 400 x 300 x 33 mm, 4 Ohm, 40 Watt</p> <p><b>Order number: 108466300</b></p>	<p>890.- € RRP incl. VAT per piece</p>
	<p><b>Revox INV 40 wood slim</b></p> <p>Surface loudspeaker particularly suitable for invisible background sound in rooms with wall and ceiling cladding as well as furniture made of wood and wood-based panels. With polymeric, specially coated special membrane for sustainable, flat bonding.</p> <p>Dimensions: 400 x 300 x 33 mm, 4 Ohm, 40 Watt</p> <p><b>Order number: 108466400</b></p>	<p>890.- € RRP incl. VAT per piece</p>
	<p><b>Revox INV 20 mini</b></p> <p>The mini version of the flat-panel loudspeakers for space-saving installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The speakers are protected by a plastic cover on the back.</p> <p>Dimensions: W200 x H300 x D33 mm, 8 Ohm, 20 Watt</p> <p><b>Order number: 108466000</b></p>	<p>740,- € RRP incl. VAT per piece</p>






	<p><b>Revox INV 20 mini carbon</b></p> <p>The mini version of the flat-panel loudspeakers for space-saving installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The speakers are protected by a plastic cover on the back. Suitable for outdoor use thanks to the special carbon membrane.</p> <p>Dimensions: W200 x H300 x D33 mm, 8 Ohm, 20 Watt</p> <p><b>Order number: 108466100</b></p>	<p>810.- € RRP incl. VAT per piece</p>
	<p><b>Revox INV 20 slim</b></p> <p>The innovative flat-panel loudspeaker, only a few millimetres thick, is installed completely invisibly under plaster, paint or wallpaper and turns the wall or ceiling into a hidden sound source. With polymer, specially coated special membrane for lasting, flat bonding.</p> <p>Dimensions: W300 x H400 x D33 mm, 8 Ohm, 20 Watt</p> <p><b>Order number: 108466900</b></p>	<p>730.- € RRP incl. VAT per piece</p>
	<p><b>Revox INV 20 slim carbon</b></p> <p>The innovative flat-panel loudspeaker, only a few millimetres thick, is installed completely invisibly under plaster, paint or wallpaper and turns the wall or ceiling into a hidden sound source. With polymer, specially coated special membrane for lasting, flat bonding. Suitable for outdoor use thanks to the special carbon membrane.</p> <p>Dimensions: W300 x H400 x D33 mm, 8 Ohm, 20 Watt</p> <p><b>Order number: 108466200</b></p>	<p>880.- € RRP incl. VAT per piece</p>
	<p><b>Revox INV 40 stereo</b></p> <p>Stereo Invisible loudspeaker in one size for installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover.</p> <p>Dimensions: 625 x 410 x 52 mm, 2 x 8 Ohm, 2 x 20 Watt</p> <p><b>Order number: 108467300</b></p>	<p>1,090.- € RRP incl. VAT per piece</p>
	<p><b>Revox INV 40 stereo carbon</b></p> <p>Stereo Invisible loudspeaker in one size for installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover. Suitable for outdoor use thanks to the special carbon membrane.</p> <p>Dimensions: 625 x 410 x 52 mm, 2 x 8 Ohm, 2 x 20 Watt</p> <p><b>Order number: 108467500</b></p>	<p>1,250.- € RRP incl. VAT per piece</p>

	<p><b>Revox INV 40</b></p> <p>Invisible loudspeaker in one size for installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover.</p> <p>Dimensions: 625 x 410 x 52 mm, 4 Ohm, 40 Watt</p> <p><b>Order number: 108467100</b></p>	<p>960.- € RRP incl. VAT per piece</p>
	<p><b>Revox INV 40 carbon</b></p> <p>Invisible loudspeaker in one size for installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover. Suitable for outdoor use thanks to the special carbon membrane.</p> <p>Dimensions: 625 x 410 x 52 mm, 4 Ohm, 40 Watt</p> <p><b>Order number: 108467600</b></p>	<p>1,150.- € RRP incl. VAT per piece</p>
	<p><b>Revox INV 40 PE</b></p> <p>Invisible speaker with integrated passive equalisation. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover.</p> <p>Dimensions: 625 x 410 x 52 mm, 4 Ohm, 40 Watt</p> <p><b>Order number: 108467400</b></p>	<p>1,190.- € RRP incl. VAT per piece</p>
	<p><b>Revox INV 80</b></p> <p>Invisible speaker for the installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover.</p> <p>Dimensions: 625 x 410 x 52 mm, 8 Ohm, 80 Watt</p> <p><b>Order number: 108467200</b></p>	<p>1,390.- € RRP incl. VAT per piece</p>
	<p><b>Revox INV 80 carbon</b></p> <p>Invisible speaker for the installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover. Suitable for outdoor use thanks to the special carbon membrane.</p> <p>Dimensions: 625 x 410 x 52 mm, 8 Ohm, 80 Watt</p> <p><b>Order number: 108467700</b></p>	<p>1,650.- € RRP incl. VAT per piece</p>

## INV HEX






 <p>The image shows a black, hexagonal speaker unit with a central cone and a cable extending from the bottom. Text on the unit includes 'INV HEX', 'Made in Germany', and the REVOX logo with 'Studio Sound Quality'.</p>	<p><b>Revox INV HEX</b></p> <p>Invisible speaker for bonding to hard surfaces such as plastic, wood or aluminum composite panels. Transforms vibrating surfaces into invisible loudspeakers by gluing them to the back. Thanks to its compact design and special high-efficiency cone, the INV HEX is extremely versatile. Includes 25g 2K high-performance adhesive.</p> <p>Dimensions: W 190 x H 220 x D 42 mm, impedance: 8 Ohm, performance: 60 Watt RMS, protection: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)</p> <p><b>Order number: 108465000</b></p>	<p>570.- € RRP incl. VAT per piece</p>
 <p>The image shows a black, rectangular plastic cover with a cable gland on the right side. A small REVOX logo is visible in the bottom right corner.</p>	<p><b>Revox INV HEX Cover</b></p> <p>The INV HEX cover offers a wide range of applications. The robust plastic housing with cable gland protects the INV HEX from external damage as well as moisture or dirt and extends its service life. The cover can also be used as a built-in housing. Once mounted over the INV HEX, the cover can be screwed to the surface through the existing holes or glued to the surface with Merbenit SF50.</p> <p>Dimensions: W 360 x H 360 x D 46 mm</p> <p><b>Order number: 108465001</b></p>	<p>75.- € RRP incl. VAT per piece</p>

## Invisible Subwoofer

	<p><b>Revox INV SUB</b></p> <p>High-performance subwoofer with a special polymer membrane installed invisibly under plaster, paint or wallpaper. Flat radiation characteristics. Especially for invisible integration in drywall, solid construction, walls and ceilings. Very low installation depth. Impressive bass reproduction with high sound pressure. Easy installation and low-vibration housing construction.</p> <p>Dimensions: 900 x 410 x 97 mm, 4 Ohm, 100 Watt</p> <p><b>Order number: 108469620</b></p>	<p>1,090.- € RRP incl. VAT per piece</p>
	<p><b>Revox Invisible Subwoofer SW 200 GK</b></p> <p>Subwoofer with fleece-reinforced plasterboard front for almost invisible integration into drywall. Impressive low-frequency reproduction at high sound pressure levels. Discreet appearance. Easy installation and low-vibration cabinet design.</p> <p>Dimensions: 780 x 625 x 101 mm, 8 Ohm, 400 Watt</p> <p><b>Order number: 108469606</b></p>	<p>2,080.- € RRP incl. VAT per piece</p>
	<p><b>Revox Invisible Subwoofer SW 200 IN</b></p> <p>Subwoofer with HI-PS plastic front for almost invisible integration into wood and material panels. Impressive low-frequency reproduction at high sound pressure. Discreet appearance. Easy installation and low-vibration cabinet design.</p> <p>Dimensions: 780 x 625x 94 mm, 8 Ohm, 400 Watt</p> <p><b>Order number: 108469616</b></p>	<p>1,990.- € RRP incl. VAT per piece</p>



## Invisibles Accessories

	<p><b>Revox Invisible Highpass Protection Unit</b></p> <p>The high-pass filter protects Invisible speakers (4 Ohm/ 8 Ohm) from low-frequency bass components and thus relieves the speaker, both thermally and mechanically. Not required for Revox / Ecler DSP amplifiers.</p> <p><b>Order numbers:</b>        <b>108469907</b> (4 Ohm)                                   <b>108469908</b> (8 Ohm)</p>	<p>220.- € RRP incl. VAT</p>
	<p><b>Revox Invisible 1K SMP Special Adhesive white 290 ml</b></p> <p>1K SMP special adhesive, solvent free, white, 290 ml. For gluing speakers and frames to the wall, but also for gluing soundboards over the entire surface in a solid material.</p> <p><b>Order number:</b>        <b>108469903</b></p>	<p>30.- € RRP incl. VAT</p>
	<p><b>Revox Invisible Installation Angle, drywall</b></p> <p>Installation aid for mounting Invisible speakers in a plaster-board wall or ceiling.</p> <p><b>Order numbers:</b> <b>108469912</b> INV mini (W200 x H300 x D33 mm) <b>108469913</b> INV (W410 x H625 x D52 mm)</p>	<p>40.- € 50.- € RRP incl. VAT</p>
	<p><b>Revox Invisible Installation Frame, concrete</b></p> <p>Installation aid for mounting the Invisible loudspeaker in a concrete wall, ceiling or wall.</p> <p><b>Order numbers:</b> <b>108469911</b> SW200 GK (W625 x H780 x D70 mm) <b>108469921</b> INV slim (W300 x H400 x D33 mm) <b>108469922</b> INV (W410 x H625 x D52 mm) <b>108469923</b> INV SUB/UNIT (W410 x H900 x D97 mm)</p>	<p>290.- € 220.- € 220.- € 220.- € RRP incl. VAT</p>
	<p><b>Revox Invisible Pouring Housing, concrete</b></p> <p>Placeholder for INV (W410 x H625 x D52 mm) when pouring the concrete, made of plastic material.</p> <p><b>Attention:</b> Installation in concrete walls or concrete ceilings requires professional planning and implementation with regard to sound transmission. Please contact your authorized Revox partner or Revox.</p> <p><b>Order numbers:</b> <b>108469924</b> INV (W410 x H625 x D52 mm) <b>108469925</b> INV SUB/UNIT (W410 x H900 x D97 mm)</p>	<p>340.- € RRP incl. VAT</p>




## Revox Multiuser | Multiroom System

For more than 30 years Revox has been the leading manufacturer of extraordinary solutions in the area of customizable multiroom systems to bring music of highest audio quality to many living spaces simultaneously. The music is reproduced uncompressed and lossless, with minimum response time and absolutely time synchronous in every room.











Revox Multiuser systems go even further than conventional Multiroom systems.

The new software platform Multiuser 3.0, developed by Revox, offers decisive advantages. In addition to the LAN cable, it is also possible to integrate several products for a Multiroom application via WLAN. Each available source and its specific content can be created as favourites individually for each user.

The concept offers each user a completely individual music experience. Personal favourites are immediately accessible for each user. Preferences of different users can be defined and easily and immediately operated. No matter whether in one room or in several rooms.






## Multuser Hardware

 	<p><b>Revox STUDIOMASTER M500</b></p> <p>High-end audio system also suitable for multiuser use. Incl. 4 user licences. Further information p. 4.</p> <p><b>Order numbers:</b>      <b>156500500 silver/black glass</b>                                       <b>156500510 white/black glass</b>                                       <b>156500520 black/black glass</b></p>	<p>3.950.- € RRP incl. VAT</p>
 	<p><b>Revox STUDIOMASTER M300</b></p> <p>High-end audio system also suitable for multiuser use. Incl. 4 user licences. Further information p. 5.</p> <p><b>Order numbers:</b>      <b>156500300 silver/black glass</b>                                       <b>156500310 white/black glass</b>                                       <b>156500320 black/black glass</b></p>	<p>3.250.- € RRP incl. VAT</p>
 	<p><b>Revox M30 Multiuser Amplifier</b></p> <p>Amplifier for the Revox Multiuser 3.0 System. WLAN Multi-room capable with 2 x 50 watts, integrated Airplay 2 interface, In/Out trigger and connection option for a Revox wall control.</p> <p><b>Order number:</b>      <b>156300300</b></p>	<p>1.290.- € RRP incl. VAT</p>
 	<p><b>Revox V219 Multiuser Amplifier</b></p> <p>Amplifier for the Revox Multiuser system with 2x50 watt, in/out trigger and connection options for a Revox wall-mounted control. Update to Multiuser 3.0 possible.</p> <p><b>Order number:</b>      <b>156300500</b></p>	<p>1.250.- € RRP incl. VAT</p>
 	<p><b>Revox V400 Multiuser Server</b></p> <p>The V400 Server supplies all room amplifiers and Multiuser modules with the relevant streams and coordinates the operation of apps or home control systems. Update to Multiuser 3.0 possible.</p> <p>Includes 2 user licenses with access to all sources provided by the server. (For additional licenses, see Multiuser Accessories.)</p> <p><b>Order number:</b>      <b>156301001</b></p>	<p>1.200.- € RRP incl. VAT</p>




 	<p><b>Revox Multiuser App for iOS and Android</b></p> <p>The patented simplest operation - worldwide. The newly developed Revox Multiuser App enables a very unique operation. Each user always has their favourites on his personal start page of the App.</p> <p>Each user can create their own user profile in the App. Individual rooms can be controlled individually and zones can be set up and operated.</p>	<p>Free of charge in Apple App-Store and Google Play Store</p>
	<p><b>Revox Multiuser I/O-HDMI Module</b></p> <p>Optional module for the M30 Multiuser Amplifier with two classic audio inputs (analog and optical), an HDMI-ARC input and a configurable analog audio output. All audio inputs are audio-sensitive configurable, the HDMI-ARC input also has a CEC trigger.</p> <p><b>Order number: 156308100</b></p>	<p>260.- € RRP incl. VAT</p>
	<p><b>Revox Multiuser I/O Module</b></p> <p>Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output.</p> <p><b>Order number: 156308000</b></p>	<p>220.- € RRP incl. VAT</p>
	<p><b>Revox Multiuser 19" Rack Shelf</b></p> <p>A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit.</p> <p><b>Order number: 156309000</b></p>	<p>170.- € RRP incl. VAT</p>
	<p><b>Revox Multiuser Wall Bracket</b></p> <p>A bracket for mounting the V219 and V219b amplifier to a wall.</p> <p><b>Order number: 156309100</b></p>	<p>170.- € RRP incl. VAT</p>
	<p><b>Revox Multiuser 3.0 KNX Gateway</b></p> <p>The KNX Gateway allows the integration of the <b>Multiuser 3.0 System</b> into the building automation.</p> <p><b>Order number: 156309550</b></p>	<p>540.- € RRP incl. VAT</p>







## M204 Accessories

	<p><b>Revox M204 IR Receiver</b></p> <p>IR receiver for installation behind covers or blanking plates from switch ranges.</p> <p><b>Order number: 172090600</b></p>	<p>110.- € RRP incl. VAT</p>
	<p><b>Revox M204 IR Receiver Aluminium Gehäuse</b></p> <p>This IR receiver can be placed discreetly almost anywhere.</p> <p><b>Order number: 172090400</b></p>	<p>140.- € RRP incl. VAT</p>
	<p><b>Revox M204 Receiver Flange</b></p> <p>IR receiver for integration in loudspeaker housings or other hollow bodies. Installation via a 20 mm mounting hole.</p> <p><b>Order numbers: 172090300 black 172090350 white</b></p>	<p>130.- € RRP incl. VAT</p>

## Multuser Licences


	<p><b>Revox Multiuser 3.0 Remote License</b></p> <p>The Remote licence is activated by Revox on a device - specific basis and enables remote access to a Multiuser 3.0 server.</p> <p><b>Order number: 156306040</b></p>	<p>100.- € RRP incl. VAT</p>
	<p><b>Revox Multiuser User License for V400 Server</b></p> <p>This license includes all sources provided by the server server for 1 user, incl. audio stream, which includes internet, radio Internet, Radio, Favourites and the Audio Server. Incl. AirPlay, Spotify, Tidal and Deezer.</p> <p><b>Order number: 156306030</b></p>	<p>300.- € RRP incl. VAT</p>
	<p><b>Revox Multiuser Hotel License</b></p> <p>From the 8th user license, the hotel mode is automatically activated on the V400 (Multiuser 2 System). Please ask your Revox sales consultant for prices.</p>	

## Global Caché Products

	<p><b>Revox Global Caché iTach wired TCP/IP to IR</b></p> <p>Converter of IP telegrams to infrared to control third party products via infrared commands, also as PoE (Power over Ethernet) version.</p> <p><b>Order number:</b>           <b>156304901</b>    <b>156304905 PoE</b></p>	<p>230.- €  310.- €  RRP  incl. VAT</p>
	<p><b>Revox Global Caché iTach wired TCP/IP to RS232</b></p> <p>Converter of IP telegrams to RS232 for controlling third-party products with serial interface, also as PoE (Power over Ethernet) version.</p> <p><b>Order number:</b>           <b>156304902</b>    <b>156304906 PoE</b></p>	<p>240.- €  310.- €  RRP  incl. VAT</p>
	<p><b>Revox Global Caché IR Learner</b></p> <p>Interface for teaching in infrared commands.</p> <p><b>Order number:</b>           <b>156304910</b></p>	<p>180.- €  RRP  incl. VAT</p>
	<p><b>Revox RS232 Cable for Joy CD Player to Global Caché</b></p> <p>Per meter.</p> <p><b>Order number:</b>           <b>156102040</b></p>	<p>35.- €  RRP  incl. VAT</p>



## Revox Control STUDIOCONTROL





	<p><b>Revox STUDIOCONTROL C200</b></p> <p>The <b>STUDIOCONTROL C200</b> is an Android based and Google certified control with docking station. It is made of aluminum and equipped with a high-quality touch display.</p> <p>It enables the comfortable control of audio systems and is suitable for various SMART HOME applications.</p> <ul style="list-style-type: none"> <li>• Innovative control</li> <li>• Easy installation of apps</li> <li>• User-friendly operation</li> <li>• High resolution touch display</li> <li>• Outstanding Design</li> <li>• Usable and within reach for everyone in the house</li> <li>• Durable and robust due to the aluminium housing</li> <li>• Individual setup and use of defined apps through the launcher mode</li> </ul> <p><b>Order number:</b>                    <b>156309200 black</b></p>	<p>990.- € RRP incl. VAT</p>
---	---	--------------------------------------

## Multuser Control

 	<p><b>Revox C100 Multuser Remote Control</b></p> <p>IR remote control with LED feedback for the Revox Multiuser System 3.0 (requires an IR receiver in the room). 4 User favourite buttons, which are supplemented by 4 user and additional function buttons. CR2032 lithium batteries are included.</p> <p><b>Order number: 156310000 black</b></p>	<p>180.- € RRP incl. VAT</p>
	<p><b>Revox V208 Multuser Remote Control</b></p> <p>IR remote control with LED feedback for the Revox Multiuser System 2.x (requires an IR receiver in the room). 4 user buttons, which are supplemented by additional source and function buttons. CR2032 lithium batteries are included.</p> <p><b>Order number: 156309400 black</b></p>	<p>145.- € RRP incl. VAT</p>
 	<p><b>Revox C18 Multuser Wall Control</b></p> <p>Wall control for the Revox Multiuser System 3.0 in the design Gira System 55. Frame not included.</p> <p><b>Order numbers:</b>  <b>156307200 shiny white</b>  <b>156307203 anthracite</b>  <b>156307207 black</b></p>	<p>240.- € RRP incl. VAT</p>
 	<p><b>Revox C18 Multuser Wall Control Cover Plate</b></p> <p>Cover plate for the Revox C18 Multuser Wall Control in the design Gira System 55. Frame not included.</p> <p><b>Order numbers:</b>  <b>156307210 shiny white</b>  <b>156307213 anthracite</b>  <b>156307217 black</b></p>	<p>35.- € RRP incl. VAT</p>
	<p><b>Revox V218 Multuser Wall Control</b></p> <p>Wall control for the Revox Multiuser 2 System, in the design Gira System 55. Frame not included.</p> <p><b>Order number: 156307000 shiny white</b> Other colours on request.</p>	<p>240.- € RRP incl. VAT</p>









## App Operation

	<p><b>Revox Multiuser App for iOS and Android</b></p> <p>The patented simplest operation - worldwide. The newly developed Revox Multiuser App enables a very unique operation. Each user always has their favourites directly on their personal start page of the App.</p> <p>Each user can create their own user profile in the App. Individual rooms can be controlled individually and zones can be set up and operated.</p>	<p>Free of charge in Apple App-Store and Google Play Store</p>
	<p><b>Revox Joy App for iOS and Android</b></p> <p>For further information see page 9.</p>	<p>Free of charge in Apple App-Store and Google Play Store</p>
	<p><b>Revox STUDIOART App for iOS and Android</b></p> <p>For further information see page 12.</p>	<p>Free of charge in Apple App-Store and Google Play Store</p>
	<p><b>Revox Multiuser 2 App for iOS and Android</b></p> <p>For controlling the Revox Multiuser Systems Version 2.x. Provides access to various sources of the Multiuser System and also to the integrated audio services such as Internet radio or music server. Each user can be assigned rights for sources and rooms.</p>	<p>Free of charge in Apple App-Store and Google Play Store</p>

## Appendix

### Additional products Multiuser/Multiroom

	<p><b>Ubiquiti Switch ES-16-150</b></p> <p>Active Layer 3 PoE switch from the Ubiquiti Edge series with 16 ports and max. 150W power. Revox recommends this switch for the Revox Multiuser System.</p> <p><b>Order number: 156304923</b></p>	<p>daily rate</p>
	<p><b>Ubiquiti Switch ES-16-XP</b></p> <p>Passive Layer 3 PoE switch from the Ubiquiti Edge series with 16 ports. Revox recommends this switch for the Revox Multi-user System.</p> <p><b>Order number: 156304921</b></p>	<p>daily rate</p>
	<p><b>Ubiquiti Switch ES-24-Lite</b></p> <p>Layer 3 switch without PoE function from the Ubiquiti Edge series with 24 ports. Revox recommends this switch for the Revox Multiuser System.</p> <p><b>Order number: 156304922</b></p>	<p>daily rate</p>
	<p><b>Ecler 2-Channel Amplifier</b></p> <p>2-channel stereo amplifier. In combination with M30 Multi-user Amplifier + INV SUB as bass power amplifier. 2 analog inputs and 2 audio outputs. 145 Watt RMS/4 Ohm</p> <p><b>Order number: 108469702 2-channel</b></p>	<p>710.- € RRP incl. VAT</p>
	<p><b>Ecler 4-/ 6-Channel DSP Amplifier</b></p> <p>For setting the frequency response of individual speakers. Integrated DSP processor with matrix function. 4-channel: 4 analog inputs and 4 audio outputs. 4 GPI ports and integrated DSP processor with matrix function. 66 watts RMS/4 ohms, 43 watts RMS/8 ohms. 6-channel: 6 analog inputs and 6 audio outputs. 6 GPI ports and integrated DSP processor with matrix function. 65 watts RMS/4 ohms, 42 watts RMS/8 ohms.</p> <p><b>Order number: 108469704 4-channel</b> <b>108469706 6-channel</b></p>	<p>2,100.- € 2,500.- € RRP incl. VAT</p>
	<p><b>Ecler Adapter</b></p> <p>Connecting cable cinch mono/socket to Phoenix 3-pole sounds. For connecting an Ecler amplifier to the source.</p> <p><b>Order number: 108469930</b></p>	<p>24.- € RRP incl. VAT</p>





Revox Deutschland GmbH  
Am Krebsgraben 15  
78048 VS-Villingen  
Tel +49 7721 8704 0  
[www.revox.com](http://www.revox.com)

Errors and technical changes as well as product, range and price changes reserved.  
Unless otherwise stated, prices are unit prices including national VAT.