

Price List 2024

Discover the new dimensions of true-to-original studio sound quality.

Table of contents

Revox Audio Systems	4
STUDIOMASTER	4
Audio Server	6
Turntable	7
Revox Wireless Speakers	9
STUDIOART	
STUDIOART Accessories	
STUDIO ART Operation	
Revox Speakers	12
Floor-Standing/ compact Speakers	
Indoor/Outdoor Speakers	
Outdoor Speakers	
Speaker Accessories	
Built-In Speakers	
Installation Aids	
Installation Housings	
Invisible Speakers	23
Invisible Accessories	29
Revox Multiuser Multiroom System	30
Multiuser Hardware	
M204 Accessories	
Multiuser Licences_	
Global Caché Products	
Revox Control	25
STUDIOCONTROL Multiuser Control	
Multiuser Control App Operation	
App Operation.	
APPENDIX	38
Additional Products Multiuser/Multiroom	



Revox Audio Systems STUDIOMASTER

Revox STUDIOMASTER M500





The **STUDIO**MASTER M500 is equipped with a powerful, built-in amplifier, a DAB+, FM tuner and an OLED glass front display. It also comes with multiple connection options and accommodate a wide range of audio sources. Playback options include Wi-Fi, LAN, Bluetooth and AirPlay 2. It is also able to stream iRadio, Spotify, Tidal, Deezer. HDMI and other ports connect with TVs, tape recorders, headphones and CD players. The unique Revox Multiuser concept enables individual listening options for several users in one room. The Multiroom solution builds on the modular approach to deliver the same versatility across different rooms. Controllable via the unique Revox Multiuser App.

Power: 2x max. 180 Watt RMS

Order numbers: 156500500 silver/black glass

156500510 white/black glass 156500520 black/black glass 3,950.- € RRP incl. VAT



	Revox STUDIOMASTER M300	3,250 €
Charts Radio Large Radio Large Radio Large Radio Large Radio Large Radio Large REVOX Multiuser	The STUDIO MASTER M300 is equipped with a powerful, built-in amplifier, a DAB+, FM tuner and an OLED glass front display. It also comes with multiple connection options and accommodate a wide range of audio sources. Playback options include Wi-Fi, LAN, Bluetooth and AirPlay 2. It is also able to stream iRadio, Spotify, Tidal, Deezer. HDMI and other ports connect with TVs, tape recorders, headphones and CD players. The unique Revox Multiuser concept enables individual listening options for several users in one room. The Multiroom solution builds on the modular approach to deliver the same versatility across different rooms. Controllable via the unique Revox Multiuser App.	RRP incl. VAT
	Power: 2x max. 120 Watt RMS	
	Order numbers: 156500300 silver/black glass 156500310 white/black glass 156500320 black/black glass	
	Revox STUDIOMASTER M500 - Bundle with C200	4,750 €
Ones bade Common bade Comm	Revox Audio System STUDIO MASTER M500 together with the Revox STUDIO CONTROL C200 at a special price. For details of the STUDIO MASTER M500, see page 4, information about the STUDIO CONTROL C200 on page 33.	RRP incl. VAT
N	Order numbers: 156509500 silver/black glass 156509510 white/black glass 156509520 black/black glass	
	Revox STUDIOMASTER M300 - Bundle with C200	4,050 € RRP
Charle Note: Stage Technic City many Stage Technic C	Revox Audio System STUDIO MASTER M300 together with the Revox STUDIO CONTROL C200 at a special price. For details of the STUDIO MASTER M300, see above, information about the STUDIO CONTROL C200 on page 33.	incl. VAT
A manufacture of the state of t	Order numbers: 156509300 silver/black glass 156509310 white/black glass 156509320 black/black glass	
State State	Revox Multiuser App for iOS and Android	Free of charge
REVOX Mulduser	The patented simplest operation - worldwide. The newly developed Revox Multiuser App enables a very unique operation. Every user always has his or her favourites on their personal start page of the App. Each user can create their own user profile in the App. Individual rooms can be controlled individually and zones can be set up and operated.	in Apple App-Store and Google Play Store



Audio Server

	Revox S37 Audio Server	2,950 € RRP
	Revox audio server with drive to rip CDs; design matching the Revox STUDIO MASTER systems; low-nose operation due to external power-supply and fanless electronics; integrated 1 TB hard disk for around 3600 CDs in full CD quality.	incl. VAT
	Order numbers: 155405100 white/white glass	
	Revox Upgrade SSD for Audio Server	
SSD	Optional SSD memory instead of hard disk in the Audio Server S37. Ideal for operation with an external hard disk such as a network hard disk. On request.	
	Order numbers: 155405902 256 GB 155405905 512 GB	120 € 300 € RRP incl. VAT
	Revox DAB+/FM frequency separator	50 € RRP
	For the simultaneous connection of an FM and DAB antenna.	incl. VAT
	Order numbers: 156109701	



Revox Turntable



Revox STUDIOMASTER T700 Turntable - Black Edition

The **STUDIO**MASTER T700 is a high-end turntable with a very unique integrated MC phono preamplifier. It is made of the highest-grade materials, and fascinates with an elegant and timeless design.

3,950.- € RRP incl. VAT

Equipped with the high-quality MC cartridge Ortofon Quintet Black S.

Distortions: 0,005 % Channel offset: 0,2 dB Channel separation: > 80 dB

Subsonicfilter: 10 Hz with first-order high pass (6 dB filter)

RIAA precision: ± 0,2 % Impedace matching:

6 levels: 470 $\Omega,$ 220 $\Omega,$ 100 $\Omega,$ 47 $\Omega,$ 1 k $\Omega,$ 2 k Ω

Dimensions: W 470 x D 336 x H 156 mm without sockets

Order number: 127900600 Black Edition

7



3,750.-€

incl. VAT

RRP

Revox STUDIOMASTER T700 Turntable



The **STUDIO**MASTER T700 is a high-end turntable with a very unique integrated MC phono preamplifier. It is made of the highest-grade materials, and fascinates with an elegant and timeless design.

The pre-mounted Ortofon Quintet Bronze MC pick-up rounds off this high-quality product.

Distortions: 0,005 % Channel offset: 0,2 dB Channel separation: > 80 dB

Subsonicfilter: 10 Hz with first-order high pass (6 dB filter)

RIAA precision: ± 0,2 % Impedace matching:

6 levels: 470 Ω , 220 Ω , 100 Ω , 47 Ω , 1 k Ω , 2 k Ω

Dimensions: W 470 x D 336 x H 156 mm without sockets

Order number: 127900500



Revox Wireless Speakers STUDIOART

	Revox STUDIOART S100 Audiobar	1,595 € RP
	Active 3.1 speaker with highest quality up to 192 kHz/ 24 bit for an impressive music and TV / home cinema experience - even at low volume and with excellent speech reproduction. Integrated dualport bass reflex technology. The S100 is operated with the practical remote control, directly on the device or via the Revox app. And it can be easily combined with other STUDIO ART products, also as a multiroom system.	incl. VAT
	Order numbers: 141010100 black 141010200 white	
	Revox STUDIOART A100 Room Speaker	495€
nidox	Active loudspeaker with highest reproduction quality of up to 192 kHz/24 bit. Integrated bass reflex technology. The control panel enables access to music sources at any time, even without the Revox app. Mains operation and battery.	RP incl. VAT
	Order numbers: 141020100 black 141020200 white	
enticx	Revox STUDIOART P100 Room Speaker	195€
	Passive additional speaker for stereo playback with the STUDIO ART A100 in the highest playback quality. Connection with a speaker cable.	RP incl. VAT
	Order numbers: 141030100 black 141030200 white	



	Revox STUDIOART B	100 Bass Module	995€
(C)			RP
	precise bass reprodudual port bass reflex (KleerNet) to other \$	subwoofer with dynamically optimized, action and minimal distortion. Integrated technology. Wireless radio connection STUDIOART loudspeakers. Can also be nother Revox speakers. 141070100 black 141070200 white	incl. VAT

STUDIOART Accessories

	Revox Transport Bag for STUDIOART Room Speaker	36€
9		RRP
	Transport bag for STUDIO ART suitable for STUDIO ART A100	incl. VAT
	and STUDIO ART P100 Room Speakers. High-quality hard case	
	padded inside and outside. Including carrying strap.	
	Order number: 141020102	
8 8	Spectral Floor Stand for STUDIOART Room Speaker	170 €
		RRP
	Floor stand for STUDIO ART A100 and STUDIO ART P100 Room	incl. VAT
	Speaker. Easy attachment, concealed cable routing. Colored	
	glass base. On request.	
	Order numbers: 141090001 black glass base	
	141090002 silver glass base	
	Revox Wall Bracket (2pcs) for STUDIOART Room Speaker	59 €
		RRP
	Easy installation, including necessary accessories. Safety	incl. VAT
	tested and UL listed. 2 pieces per packing unit.	
	process of the proces	
	Order number: 141020101	
	Revox Wall Bracket for STUDIOART S100 Audiobar	30 €
		RRP
	For positioning the Revox Audiobar on the wall.	incl. VAT
	Easy installation, safetytested. 2 pieces needed for the mount.	
	Order numbers: 141010101 black	
	141010201 white	



STUDIOART Operation



Revox STUDIOART App

Steuern Sie Ihre **STUDIO**ART Produkte per App. Auch Multiroom Gruppen können direkt in der Geräteübersichtsliste durch eine drag & drop Funktion erstellt oder getrennt werden.

Free of charge in Apple App-Store and Google Play Store



Revox SpeakersFloor-Standing/ compact

		1		
	ı		3	
	ı			
	ı		-	
	ı	ľ	ľ	
	ı	ı		
		ı		
	1		=	

Revox Prestige G140

3-way bass reflex loudspeaker. Four long-throw bass drivers, a low-distortion mid-range speaker and a tweeter with a large fabric cone ensure the G Prestige's incredibly precise and powerful sound. Glass front panel and glass base.

140/180 Watt - 36 Hz to 30 kHz - 90 dB (2,83V/1m)

Dimensions: W 140 x D 270 x H 1262 mm

Dimensions glass base: W 260 x D 390 x H 12 mm

Order numbers: 108422500 silver/black glass

108422600 white/white glass 108423600 black/black glass



Revox Elegance G120

2.5-way bass reflex speaker with highly elegant slender design and excellent sound performance, also thanks to the D'Appolito chassis arrangement. Glass front panel and glass base.

120/150 Watt - 40 Hz to 30 kHz - 86,5 dB (2,83V/1m)

Dimensions: W 104 x D 160 x H 1112 mm

Dimensions glass base: W 210 x D 270 x H 12 mm

Order numbers: 108423000 silver/black glass

108423100 white/white glass 108423500 black/black glass 2,150.- € RRP incl. VAT

1,450.- € RRP

incl. VAT



	Revox Column G70		990 €
	Slender 2.0-way bass reflex speaker with great sound, also thanks to the D'Appolito chassis arrangement. Glass front panel and glass base.		RRP incl. VAT
	70/100 Watt – 42 Hz to 30 kHz – 86,5 dB (2,83V/1m) Dimensions: W 104 x D 104 x H 1112 mm Dimensions glass base: W 215 x D 215 x H 12 mm		
	Order numbers:	108421500 silver/black glass 108421600 white/white glass 108423400 black/black glass	
	Revox Center G100		990€
	voice reproduction a	or your home cinema. Delivers realistic and centre sound placement for authentic to be combined with speakers from the G	RRP incl. VAT
	100/130 Watt – 45 F Dimensions: W 470	Hz to 30 kHz – 88 dB (2,83V/1m) x D 260 x H 104 mm	
	Order numbers:	108422100 silver/black glass 108422200 white/white glass 108423700 black/black glass	
	Revox Shelf G70		790€
	perfect sound with i	2-way bass reflex compact speaker for mpressive bass response even from a small he D'Appolito chassis arrangement.	RRP incl. VAT
		tt – 45 Hz to 30 kHz – 90 dB (2,83V/1m) x D 218 x H 320 mm (without cord)	
	Order numbers:	108421700 silver/black glass 108421800 white/white glass 108421900 black/black glass	
	Revox Mini G50		490 € RRP
00	·	eaker, smallest in the G series. Outstanding res impressive base response.	incl. VAT
	4 Ohm – 50/70 Watt Dimensions: W 104	: – 55 Hz to 30 kHz – 86 dB (2,83V/1m) x D 130 x H 180 mm	
	Order numbers:	108420500 silver/black glass 108420600 white/white glass 108423200 black/black glass	



Revox Piccolo S60	390 € RRP
2-way bass reflex speaker with impressive sound quality from a highly compact format, high-performance bass reflex system for powerful base response.	incl. VAT
60/80 Watt – 60 Hz to 20 kHz – 88,5 dB (2,83V/1m) Dimensions: W 140 x T 140 x H 140 mm	
Order numbers: 108443300 white 108444600 black	
Revox STUDIOART B100 Bass Module	995€
Powerful bass reflex subwoofer with dynamically optimized, precise bass reproduction and minimal distortion. Integrated dual port bass reflex technology. Can be used universally with other Revox speakers.	RP incl. VAT
Order numbers: 141070100 black 141070200 white	



Indoor/Outdoor Speakers

Revox Botanic 70-4	4,250 € RRP
A unique speaker for outdoors and indoors. Thanks to the four powerful Invisible Speakers from Revox, the sides of the handmade fiberglass plant pot are used for impressive sound reproduction. Due to the protected installation inside, it is weatherproof and can also be used flexibly outdoors. Supplied without plant.	incl. VAT
Dimensions: W 70 x D 70 x H 70 cm, color: anthracite, performance: 4x 60 watts, impedance: 4x 8 ohms, protection: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)	
Order number: 108465704 Botanic 70-4	
Revox Botanic 70-2	3,800 € RRP
A unique speaker for outdoors and indoors. Thanks to two powerful Invisible Speakers from Revox, which are mounted from the inside on opposite sides (o = opposite) or across the corner (c = corner), the sides of the handmade fiberglass plant pot are used for impressive sound reproduction. Due to the protected installation inside, it is weatherproof and can also be used flexibly outdoors. Supplied without plant.	incl. VAT
Dimensions: W 70 x D 70 x H 70 cm, color: anthracite, performance: 2x 60 watts, impedance: 2x 8 ohms, protection: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)	
Order numbers: 108465702 Botanic 70-20 108465712 Botanic 70-2c	
Revox Botanic 50-2	2,400 €
A unique speaker for outdoors and indoors. Thanks to two powerful Invisible Speakers from Revox, which are mounted from the inside on opposite sides (o = opposite) or across the corner (c = corner), the sides of the handmade fiberglass plant pot are used for impressive sound reproduction. Due to the protected installation inside, it is weatherproof and can also be used flexibly outdoors. Supplied without plant.	RRP incl. VAT
Dimensions: W 50 x D 50 x H 50 cm, color: anthracite, performance: $2x$ 60 watts, impedance: $2x$ 8 ohms, protection: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)	
Order numbers: 108465502 Botanic 50-20 108465512 Botanic 50-2c	



2,200.-€ RRP

incl. VAT



Revox Botanic 50-1

A unique speaker for outdoors and indoors. Thanks to a powerful Invisible Speaker from Revox, which is mounted on one side from the inside, one side of the handmade fiberglass plant pot is used for impressive sound reproduction. Due to the protected installation inside, it is weatherproof and can also be used flexibly outdoors. Supplied without plant.

Dimensions: W 50 x D 50 x H 50 cm, color: anthracite, performance: 1x 60 watts, impedance: 1x 8 ohms, protection: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)

Order number: 108465501 Botanic 50-1

Outdoor Speakers



Revox Outdoor 180

Splash-proof 2-way speaker for outdoor use. The wall bracket allows for vertical or horizontal mounting.

6 Ohm - 80/110 Watt - 50 Hz to 22 kHz - 89dB (2,83V/1m)

Dimensions: W 166 x D 166 x H 250 mm, Depth incl. bracket: 190 mm, weight: 2,8 kg

Order numbers: 108457500 white

108457600 black

108457700 white with IR Receiver 108457760 black with IR Receiver

380.-€

440.-€

470.- €

530.-€

RRP

incl. VAT



Speaker Accessories

	Revox Wall Mount for Mini/Piccolo, solid wall	80 € RRP
	Solid Wall	incl. VAT
	Wall mount suitable for Mini G50 speakers and Piccolo	per piece
rest	speakers. Continuous alignment of the speakers possible.	
	Suitable for solid walls.	
	Order number: 108443400	
	Revox Wall Mount for Mini/Piccolo,	105€
	hollow wall	RRP
	Wall mount suitable for Mini G50 speakers and Piccolo spea-	incl. VAT
	kers. Continuous alignment of the speakers possible.	per piece
	Suitable for hollow walls.	
	Order number: 108460600	
	Revox Wall Bracket for Mini/Shelf,	70 €
	flat (2 pieces)	RRP
	, ,	incl. VAT
m	Extremely flat wall bracket for Mini G50 and Shelf G70;	
11 22 20	two wall brackets per packaging unit. Fixed position of the	
// //	speakers parallel to the wall. Suitable for hollow walls and for solid walls.	
	John Walls.	
	Order number: 108420700	
	Botanic Floor Plate 70	190€
	The Botanic Floor Plate 70, made of water-resistant and lac-	RRP incl. VAT
	quered wood, is a base plate for indoor use. It has a practical	per piece
	speaker cable guide that allows the cable to be laid neatly and	' '
C.C.	out of sight. The reduced external dimensions of the Botanic	
	Floor Plate 70 create a visual effect under the Botanic that	
	makes the sounding plant pot appear to float. Dimensions: W670 x D670 x H18 mm	
	Color: anthracite grey (color: RAL 7016)	
	Order number: 108465720	
	Botanic Floor Plate 50	150 € RRP
	The Botanic Floor Plate 50, made of water-resistant and lac-	incl. VAT
	quered wood, is a base plate for indoor use. It has a practical	per piece
	speaker cable guide that allows the cable to be laid neatly and	
6.5	out of sight. The reduced external dimensions of the Botanic	
	Floor Plate 50 create a visual effect under the Botanic that makes the sounding plant pot appear to float.	
	Dimensions: W470 x D470 x H18 mm	
	Color: anthracite grey (color: RAL 7016)	
	Order number: 108465520	



Built-In Speakers

With the Revox Built-in Speakers, we've designed a series which combines amazing sound and the greatest optic discretion, because the speaker frame is practically invisible to the eye. These premium audio transducers fit seamlessly into any room décor and surprise the listener with both their sound as well as their remarkable presence and fullness.

Infra-red receivers are available optionally for all speakers in the Built-in series. Hidden entirely behind the metal grill, the receiver controls the Revox Multiuser System on site remotely, even when the amplifier is in a different room. The Built-in Speakers are also insensitive to moisture and can also be installed in the bathroom or in a protected outdoor area, for example in a canopy for an outdoor seating area.

The stereo version with double tweeters is intended to provide excellent sound in particularly small spaces. The low installation depth also allows a problem-free and easy installation of all speakers of the I series.

A special highlight: The Revox amplifiers of the multiuser system contain the individual frequency responses of all Revox Built-in Speakers. This specific frequency correction guarantees studio sound quality that is true to the original.



Daview Insailing IS3		
Revox Inceiling I52 Round 2-way built-in ceiling speakers (white) for installation in suspended ceilings of medium-sized rooms. Technical data: frequency range within ceiling: 50 Hz - 20 kHz (IEC); frequency range with Revox housing: 60 Hz - 20 kHz; crossover frequency: 4 kHz, performance: 50/70 Watt; impedance: 6 Ohm, efficiency: 88 dB/2.83V/1m; receiv. amplifier power: 20-100 Watt outer diameter: 202 mm, cutout diameter: 165 mm; installation depth: 75 mm; weight: 1,2 kg Order numbers: 108459000 white		240€
	108459100 black 108459200 white with IR Receiver 108459260 black with IR Receiver	270 € 390 € 420 € RRP incl. VAT
Revox Inceiling 182		
in suspended ceilings Technical data: freque (IEC); frequency rang crossover frequency: impedance: 6 Ohm; e receiv. amplifier power	mm; cutout diameter: 238 mm; installa-	
Order numbers:	108459500 white 108459600 black 108459700 white with IR Receiver 108459760 black with IR Receiver	350 € 380 € 520 € 550 € RRP incl. VAT
Revox Inceiling 182 St	tereo	
installation in suspen Technical data: freque (IEC); frequency rang crossover frequency: impedance: 2x6 Ohm receiv. amplifier power	ency range within ceiling: 32 Hz - 20 kHz e with Revox housing: 48 Hz - 20 kHz; 2.5 kHz; performance: 2x40/2x60 Watt; a; efficiency: 90 dB/2.83V/1m; er: 2x20-2x75 Watt mm; cutout diameter: 238 mm; installa-	
Order numbers:	108459800 white 108459850 black 108459900 white with IR Receiver 108459960 black with IR Receiver	470 € 500 € 620 € 650 € RRP incl. VAT



	Revox Inwall I52		
British Co.	coverings of medium- Technical data: freque (IEC); frequency range crossover frequency: impedance: 6 Ohm; e	n speakers (white), for installation in wall sized rooms. ency range within ceiling: 50 Hz - 20 kHz with Revox housing: 60 Hz - 20 kHz; 4 kHz; performance: 50/70 Watt; fficiency: 88 dB/2.83V;	
		depth: 75 mm; weight: 1,2 kg	
	Order numbers:	108458000 white 108458100 black 108458200 white with IR Receiver 108458260 black with IR Receiver	240 € 270 € 390 € 420 € RRP
	Revox Inwall I82		incl. VAT
Table 1	Angular 2-way built-ir coverings of medium- Technical data: freque (IEC); frequency range crossover frequency: impedance: 6 Ohm; e	n speakers (white), for installation in wall sized and large rooms. ency range within ceiling: 32 Hz - 20 kHz with Revox housing: 48 Hz - 20 kHz; 3.8 kHz; performance: 80/110 Watt; fficiency: 90 dB/2.83V/1m; 0 x 250 mm; cutout dimensions: 222 x	
		depth: 95 mm; weight: 2,1 kg	
	Order numbers:	108458500 white 108458600 black 108458700 white with IR Receiver 108458760 black with IR Receiver	350 € 380 € 520 € 550 € RRP incl. VAT
	Revox Inwall I82 Ster	eo	
	on in wall coverings. Technical data: freque (IEC); frequency range crossover frequency: impedance: 2x6 Ohm outer dimensions: 25	w built-in speakers (white), for installati- ency range within ceiling: 32 Hz - 20 kHz e with Revox housing: 48 Hz - 20 kHz; 2.5 kHz; performance: 2x40/2x60 Watt; g; efficiency: 90 dB/2.83V/1m; 0 x 250 mm; cutout dimensions: 222 x depth: 5 mm; weight: 2,3 kg	
			470
	Order numbers:	108458800 white 108458850 black 108458900 white with IR Receiver 108458960 black with IR Receiver	470 € 500 € 620 € 650 € RRP incl. VAT



Installation Aids

Revox Trimless Mounting Kit - I52 Speaker	125 € RRP
For flush mounting of I52 recessed loudspeakers in drywalls	incl. VAT
and ceilings. We recommend the additional use of a Secobox (order no. 179146200).	per piece
Material: MDF white primed, dimensions: 261 x 261 x 25 mm, cut-out 165 mm round (Inceiling) resp. cut-out 148 x 148 mm square (Inwall).	
Incl. 4 double-sided adhesive dots for fixing the Secoboxx.	
Packed in shrink-wrap with enclosed operating instructions.	
Order numbers: 179146210 for Inceiling I52 179146220 for Inwall I52	
Revox Trimless Mounting Kit - I82 Speaker	142€
	RRP
For flush mounting of I82 recessed loudspeakers in drywalls	RRP incl. VAT
	RRP
For flush mounting of I82 recessed loudspeakers in drywalls and ceilings. We recommend the additional use of a Secoboxx	RRP incl. VAT
For flush mounting of I82 recessed loudspeakers in drywalls and ceilings. We recommend the additional use of a Secoboxx (order no. 179146200).	RRP incl. VAT
For flush mounting of I82 recessed loudspeakers in drywalls and ceilings. We recommend the additional use of a Secoboxx (order no. 179146200). Material: MDF white primed, dimensions: 339 x 339 x 25 mm, cut-out 238 mm round (Inceiling) resp. cut-out 222 x 222 mm square (Inwall). Incl. 4 double-sided adhesive points for fixing the Secoboxx.	RRP incl. VAT
For flush mounting of I82 recessed loudspeakers in drywalls and ceilings. We recommend the additional use of a Secoboxx (order no. 179146200). Material: MDF white primed, dimensions: 339 x 339 x 25 mm, cut-out 238 mm round (Inceiling) resp. cut-out 222 x 222 mm square (Inwall).	RRP incl. VAT
For flush mounting of I82 recessed loudspeakers in drywalls and ceilings. We recommend the additional use of a Secoboxx (order no. 179146200). Material: MDF white primed, dimensions: 339 x 339 x 25 mm, cut-out 238 mm round (Inceiling) resp. cut-out 222 x 222 mm square (Inwall). Incl. 4 double-sided adhesive points for fixing the Secoboxx.	RRP incl. VAT
For flush mounting of I82 recessed loudspeakers in drywalls and ceilings. We recommend the additional use of a Secoboxx (order no. 179146200). Material: MDF white primed, dimensions: 339 x 339 x 25 mm, cut-out 238 mm round (Inceiling) resp. cut-out 222 x 222 mm square (Inwall). Incl. 4 double-sided adhesive points for fixing the Secoboxx. Packed in shrink-wrap with enclosed operating instructions.	RRP incl. VAT
For flush mounting of I82 recessed loudspeakers in drywalls and ceilings. We recommend the additional use of a Secoboxx (order no. 179146200). Material: MDF white primed, dimensions: 339 x 339 x 25 mm, cut-out 238 mm round (Inceiling) resp. cut-out 222 x 222 mm square (Inwall). Incl. 4 double-sided adhesive points for fixing the Secoboxx. Packed in shrink-wrap with enclosed operating instructions. Order numbers: 179146230 for Inceiling I82	RRP incl. VAT
For flush mounting of I82 recessed loudspeakers in drywalls and ceilings. We recommend the additional use of a Secoboxx (order no. 179146200). Material: MDF white primed, dimensions: 339 x 339 x 25 mm, cut-out 238 mm round (Inceiling) resp. cut-out 222 x 222 mm square (Inwall). Incl. 4 double-sided adhesive points for fixing the Secoboxx. Packed in shrink-wrap with enclosed operating instructions. Order numbers: 179146230 for Inceiling I82	RRP incl. VAT



Installation Housings

Euroboxx



Ceiling installation housing consisting of EPS base body with gluedin OSB rear wall cover and OSB front with cut-out for installation in concrete ceilings.

Dimensions Euroboxx M for I52 $330\times330\times160$ mm (L \times W \times H); Installation depth max. 145 mm Dimensions Euroboxx L for I82

 $390 \times 390 \times 175$ mm (L × W × H); Installation depth max. 175 mm

Order numbers: 179144000 for Inceiling I52

179145000 for Inwall I52 179144101 for Inceiling I82 179145100 for Inwall I82 140.- € 140.- € 152.- € 152.- € RRP incl. VAT

Wallboxx



Universal installation housing Wallboxx, designed for masonry and concrete walls. The Wallboxx enables professional installation of built-in speakers. Front and rear panels are made of OSB and integrate seamlessly into the workflow for easy further processing of the wall surface. The surrounding base body made of EPS is low in resonance and has sound-insulating properties. The loudspeaker opening has to be made by a self-cut-out.

Dimensions Wallboxx M for I52 $435 \times 390 \times 120$ mm (L × W × H) Dimensions Wallboxx L for I82 $590 \times 435 \times 120$ mm (L × W × H)

Order numbers: 179146000 for all I52

179146100 for all I82

281.- € 293.- € RRP incl. VAT

Secoboxx



Universal recessed wall and ceiling housing for Inwall I52, Inceiling I52, Inwall I82 and Inceiling I82. Designed for suspended ceilings and drywalls. Recessed enclosure consisting of high-quality acoustic panels. Optimum protection against dust, insects and drizzle. The loudspeaker opening has to be made by a self-cut-out, the rest is prepared ready for mounting and easy to install.

Dimensions Secoboxx XS for all I52 & I82 $290 \times 290 \times 100$ mm (L \times W \times H)

Order numbers: 179146200 for all I52 & I82

116.- € RRP incl. VAT



Invisible Speakers

The innovative, millimetre-thick flat loudspeakers are installed completely hidden below the plaster, paint or wallpaper, turning your wall or ceiling into invisible sources of sound. It's an uncanny listening experience: the soundboards were developed specifically for this purpose to provide a flat emission. This makes the harmonious sound equally enjoyable from anywhere in the room, regardless of where the listener is. Unleash your imagination! With the Revox Invisible speakers, there's no longer any limit to your decorating ideas.

The implementation of the audio solution can not be compared to that with conventional speakers. In addition, it varies depending on the type of installation or processing of the surface. When installing the loudspeaker, it must be taken into account that it is no longer accessible afterwards without destroying it. A correct installation - the rules of DIN drywall construction, the basics of painting and plastering technology and the assembly instructions for the products of the Invisible series - must therefore be observed.

The Invisible loudspeakers can be operated with certain amplifiers. The Revox the M30 Multiuser Amplifier, **STUDIO**MASTER M500, **STUDIO**MASTER M300 and the V219 Multiuser Amplifier offer options for connecting these loudspeakers.

For professional advice, please contact your authorized Revox partner or Revox itself.





	Revox INV UNIT	1,300€
	Development of the state of the	RRP
7	Panel loudspeakers installed invisibly under plaster, paint or wallpaper. Flat radiation characteristics. Full-range speaker	incl. VAT per piece
18 8 1	with special polymer membrane equipped with high-perfor-	per piece
INV UNIT Make teleproses The Form HIII	mance subwoofer and exciter. Especially for invisible integrati-	
PEACOX PARIS TO SAFETY	on in drywall, solid construction, walls and ceilings.	
	Dimensions: 900 x 410 x 97 mm, 4 Ohm, 120 Watt	
**************************************	, ,	
	Order number: 108469630	
	Revox INV 40 aqua slim	890 €
		RRP
	Surface loudspeaker particularly suitable for invisible back-	incl. VAT
	ground sound in rooms with increased humidity such as	per piece
E.	bathrooms and swimming pools. With polymer, moisture-	
D D D	protected special membrane for integration in dry construc-	
	tion, solid construction, walls and ceilings. Preferably on and in expansion panels to improve the room acoustics made of	
	glass granulate expanded glass panels.	
7	Dimensions: 400 x 300 x 33 mm, 4 Ohm, 40 Watt	
	Order number: 108466300	
	Revox INV 40 wood slim	890€
ALL ALL MAN	C. Contactor describes a set to the State Costs State had	RRP
	Surface loudspeaker particularly suitable for invisible back- ground sound in rooms with wall and ceiling cladding as well	incl. VAT
	as furniture made of wood and wood-based panels. With	per piece
REMOX	polymeric, specially coated special membrane for sustainable, flat bonding.	
	Dimensions: 400 x 300 x 33 mm, 4 Ohm, 40 Watt	
	Order number: 108466400	
	Revox INV 20 mini	740,- € RRP
	The mini version of the flat-panel loudspeakers for space-sa-	incl. VAT
	ving installation in ceilings and walls. A primer allows installa-	per piece
	tion under plaster or paint as well as gluing. The speakers are	
	protected by a plastic cover on the back.	
	Dimensions: W200 x H300 x D33 mm, 8 Ohm, 20 Watt	
	Order number: 108466000	



40	Revox INV 20 mini carbon	810 € RRP
	The mini version of the flat-panel loudspeakers for space-saving installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The speakers are protected by a plastic cover on the back. Suitable for outdoor use thanks to the special carbon membrane.	incl. VAT per piece
	Dimensions: W200 x H300 x D33 mm, 8 Ohm, 20 Watt	
	Order number: 108466100	
	Revox INV 20 slim	730 €
REMOX	The innovative flat-panel loudspeaker, only a few millimetres thick, is installed completely invisibly under plaster, paint or wallpaper and turns the wall or ceiling into a hidden sound source. With polymer, specially coated special membrane for lasting, flat bonding.	RRP incl. VAT per piece
	Dimensions: W300 x H400 x D33 mm, 8 Ohm, 20 Watt	
Marine Marine	Order number: 108466900	
	Revox INV 20 slim carbon	880 € RRP
REMOX	The innovative flat-panel loudspeaker, only a few millimetres thick, is installed completely invisibly under plaster, paint or wallpaper and turns the wall or ceiling into a hidden sound source. With polymer, specially coated special membrane for lasting, flat bonding. Suitable for outdoor use thanks to the special carbon membrane.	incl. VAT per piece
	Dimensions: W300 x H400 x D33 mm, 8 Ohm, 20 Watt	
	Order number: 108466200	
	Revox INV 40 stereo Stereo Invisible loudspeaker in one size for installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover.	1,090 € RRP incl. VAT per piece
	Dimensions: 625 x 410 x 52 mm, 2 x 8 Ohm, 2 x 20 Watt	
	Order number: 108467300	
6	Revox INV 40 stereo carbon	1,250 €
	Stereo Invisible loudspeaker in one size for installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover. Suitable for outdoor use thanks to the special carbon membrane.	RRP incl. VAT per piece
	Dimensions: 625 x 410 x 52 mm, 2 x 8 Ohm, 2 x 20 Watt	
	Order number: 108467500	



754		T
	Revox INV 40	960 €
	Invisible loudspeaker in one size for installation in ceilings	RRP incl. VAT
	and walls. A primer allows installation under plaster or paint	per piece
	as well as gluing. The back of the speakers is protected by a	per prese
	plastic cover.	
	Dimensions: 625 x 410 x 52 mm, 4 Ohm, 40 Watt	
	Order number: 108467100	
(1)	Revox INV 40 carbon	1,150€
	Invisible loudspeaker in one size for installation in ceilings	RRP
	and walls. A primer allows installation under plaster or paint	incl. VAT
	as well as gluing. The back of the speakers is protected by a	per piece
	plastic cover. Suitable for outdoor use thanks to the special	
	carbon membrane.	
	Dimensions: 625 x 410 x 52 mm, 4 Ohm, 40 Watt	
	Order number: 108467600	
(1)	Revox INV 40 PE	1,190 €
	Invisible speaker with integrated passive equalisation. A	RRP incl. VAT
	primer allows installation under plaster or paint as well as glu-	per piece
	ing. The back of the speakers is protected by a plastic cover.	per piece
	Dimensions: 625 x 410 x 52 mm, 4 Ohm, 40 Watt	
	Order number: 108467400	
	Revox INV 80	1,390 €
		RRP
	Invisible speaker for the installation in ceilings and	incl. VAT
	walls. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a	per piece
	plastic cover.	
	Dimensions: 625 x 410 x 52 mm, 8 Ohm, 80 Watt	
	Order number: 108467200	
	Revox INV 80 carbon	1,650 €
	Invisible speaker for the installation in ceilings and	RRP incl. VAT
	walls. A primer allows installation under plaster or paint as	per piece
	well as gluing. The back of the speakers is protected by a	per piece
	plastic cover. Suitable for outdoor use thanks to the special	
	carbon membrane.	
	Dimensions: 625 x 410 x 52 mm, 8 Ohm, 80 Watt	
	Order number: 108467700	



INV HEX

	Revox INV HEX	570 € RRP
INV HEX Made in Germany New York Control of Made	Invisible speaker for bonding to hard surfaces such as plastic, wood or aluminum composite panels. Transforms vibrating surfaces into invisible loudspeakers by gluing them to the back. Thanks to its compact design and special high-efficiency cone, the INV HEX is extremely versatile. Includes 25g 2K high-performance adhesive.	incl. VAT per piece
	Dimensions: W 190 x H 220 x D 42 mm, impedance: 8 Ohm, performance: 60 Watt RMS, protection: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)	
	Order number: 108465000	
	Revox INV HEX Cover	75 € RRP
Preference Title T	The INV HEX cover offers a wide range of applications. The robust plastic housing with cable gland protects the INV HEX from external damage as well as moisture or dirt and extends its service life. The cover can also be used as a built-in housing. Once mounted over the INV HEX, the cover can be screwed to the surface through the existing holes or glued to the surface with Merbenit SF50.	incl. VAT per piece
	Dimensions: W 360 x H 360 x D 46 mm	
	Order number: 108465001	



Invisible Subwoofer

	Device INIV CLID	1,000, 6
	Revox INV SUB High-performance subwoofer with a special polymer memb-	1,090 € RRP incl. VAT
NV SUB NA February	rane installed invisibly under plaster, paint or wallpaper. Flat radiation characteristics. Especially for invisible integration in drywall, solid construction, walls and ceilings. Very low installation depth. Impressive bass reproduction with high sound pressure. Easy installation and low-vibration housing construction.	per piece
	Dimensions: 900 x 410 x 97 mm, 4 Ohm, 100 Watt	
	Order number: 108469620	
	Revox Invisible Subwoofer SW 200 GK	2,080 €
	Subwoofer with fleece-reinforced plasterboard front for almost invisible integration into drywall. Impressive low-frequency reproduction at high sound pres-	RRP incl. VAT per piece
	sure levels. Discreet appearance. Easy installation and low-vibration cabinet design.	
	Dimensions: 780 x 625 x 101 mm, 8 Ohm, 400 Watt	
	Order number: 108469606	
	Revox Invisible Subwoofer SW 200 IN	1,990 €
	Subwoofer with HI-PS plastic front for almost invisible integration into wood and material panels. Impressive low-frequency reproduction at high sound pressure. Discreet appearance. Easy installation and low-vibration cabinet design.	RRP incl. VAT per piece
	Dimensions: 780 x 625x 94 mm, 8 Ohm, 400 Watt	
'. 	Order number: 108469616	



Invisibles Accessories

	Revox Invisible Highpass Protection Unit	220€
Some information of the control of t	The high-pass filter protects Invisible speakers (4 Ohm/ 8 Ohm) from low-frequency bass components and thus relieves the speaker, both thermally and mechanically. Not required for Revox / Ecler DSP amplifiers.	RRP incl. VAT
	Order numbers: 108469907 (4 Ohm) 108469908 (8 Ohm)	
	Revox Invisible 1K SMP Special Adhesive white 290 ml	30€
Morbbante Hawaii	1K SMP special adhesive, solvent free, white, 290 ml. For gluing speakers and frames to the wall, but also for gluing soundboards over the entire surface in a solid material. Order number: 108469903	RRP incl. VAT
	Revox Invisible Installation Angle, drywall Installation aid for mounting Invisible speakers in a plaster-board wall or ceiling. Order numbers:	
	108469912 INV mini (W200 x H300 x D33 mm) 108469913 INV (W410 x H625 x D52 mm)	40 € 50 € RRP incl. VAT
	Revox Invisible Installation Frame, concrete	
	Installation aid for mounting the Invisible loudspeaker in a concrete wall, ceiling or wall.	
	Order numbers: 108469911 SW200 GK (W625 x H780 x D70 mm)	290€
	108469921 INV slim (W300 x H400 x D33 mm) 108469922 INV (W410 x H625 x D52 mm)	220 € 220 €
	108469923 INV SUB/UNIT (W410 x H900 x D97 mm)	220€ RRP incl. VAT
	Revox Invisible Pouring Housing, concrete	340€
COOK TO SERVICE OF THE PARTY OF	Placeholder for INV (W410 x H625 x D52 mm) when pouring the concrete, made of plastic material. Attention: Installation in concrete walls or concrete ceilings requires professional planning and implementation with regard to sound transmission. Please contact your authorized Revox partner or Revox.	RRP incl. VAT
	Order numbers: 108469924 INV (W410 x H625 x D52 mm) 108469925 INV SUB/UNIT (W410 x H900 x D97 mm)	



Revox Multiuser | Multiroom System


For more than 30 years Revox has been the leading manufacturer of extraordinary solutions in the area of customizable multiroom systems to bring music of highest audio quality to many living spaces simultaneously. The music is reproduced uncompressed and lossless, with minimum response time and absolutely time synchronous in every room.

Revox Multiuser systems go even further than conventional Multiroom systems.

The new software platform Multiuser 3.0, developed by Revox, offers decisive advantages. In addition to the LAN cable, it is also possible to integrate several products for a Multiroom application via WLAN. Each available source and its specific content can be created as favourites individually for each user.

The concept offers each user a completely individual music experience. Personal favourites are immediately accessible for each user. Preferences of different users can be defined and easily and immediately operated. No matter whether in one room or in several rooms.







Multiuser Hardware

	Revox STUDIOMASTER M500	3.950€
Profiles Charts Radio Deppe Relation: 13er mosts A con A V OX A S V	High-end audio system also suitable for multiuser use. Incl. 4 user licences. Further information p. 4.	RRP incl. VAT
•	Order numbers: 156500500 silver/black glass	
REVOX	156500510 white/black glass	
Multiuser	156500520 black/black glass	
	Revox STUDIOMASTER M300	3.250€
Publica Chartis Radio Studenterro Langue Melection - Data Practic Color.	High-end audio system also suitable for multiuser use. Incl. 4 user licences. Further information p. 5.	RRP incl. VAT
REVOX Multiuser	Order numbers: 156500300 silver/black glass 156500310 white/black glass 156500320 black/black glass	
	Revox M30 Multiuser Amplifier	1.290 €
		RRP
Maken ¹⁶ Ridder be traffer I I I I I	Amplifier for the Revox Multiuser 3.0 System. WLAN Multi- room capable with 2 x 50 watts, integrated Airplay 2 interface,	incl. VAT
	In/Out trigger and connection option for a Revox wall control.	
REVOX Multiuser	Order number: 156300300	
	Revox X44 DSP 4CH Amplifier	1.890€
	4-channel stereo power amplifier with integrated digital signal processor (DSP) and 100 volt mode.	RRP incl. VAT
	Order number: 156304400	
	Revox V219 Multiuser Amplifier	1.250 €
Descript Andrea Assistant 218 See Secret 218 Set Set Secret 218 See Secret 2001 See Sec. Sec. Sec. Sec. Sec. Sec. Sec. S	Amplifier for the Revox Multiuser system with 2x50 watt, in/	RRP incl. VAT
	out trigger and connection options for a Revox wall-mounted control. Update to Multiuser 3.0 possible.	
	Order number: 156300500	
	Revox V400 Multiuser Server	1.200€
	The VACO Server supplies all room amplifiers and Multiuser	RRP incl. VAT
	The V400 Server supplies all room amplifiers and Multiuser modules with the relevant streams and coordinates the ope-	IIICI. VAI
0.00	ration of apps or home control systems. Update to Multiuser	
	3.0 possible.	
REVOX Multiuser	Includes 2 user licenses with access to all sources provided by the server. (For additional licenses, see Multiuser Accessories.)	
	Order number: 156301001	
	21	



Free of charge in Apple App-Store and Google Play Store The patented simplest operation - worldwide. The newly developed Revox Multituser App enables a very unique operation. Each user always has their favourites on his personal start page of the App. Each user can create their own user profile in the App. Individual rooms can be controlled individually and zones can be set up and operated. Revox Multiuser I/O-IDMI Module Optional module for the M30 Multiuser Amplifier with two classic audio inputs (analog and optical), an HDMI-ARC input and a configurable analog audio output. All audio inputs are audio-sensitive configurable, the HDMI-ARC input also has a CEC trigger. Order number: 156308100 Revox Multiuser I/O Module Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation. Order number: 156309550			
The patented simplest operation - worldwide. The newly developed Revox Multiuser App enables a very unique operation. Each user always has their favourites on his personal start page of the App. Each user can create their own user profile in the App. Individual rooms can be controlled individually and zones can be set up and operated. Revox Multiuser I/O-HDMI Module Optional module for the M30 Multiuser Amplifier with two classic audio inputs (analog and optical), an HDMI-ARC input and a configurable analog audio output. All audio inputs are audio-sensitive configurable, the HDMI-ARC input also has a CEC trigger. Order number: 156308100 Revox Multiuser I/O Module 220. € RPP Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.	* A = 0	Revox Multiuser App for iOS and Android	_
developed Revox Multiuser App enables a very unique operation. Each user always has their favourites on his personal start page of the App. Each user can create their own user profile in the App. Individual rooms can be controlled individually and zones can be set up and operated. Revox Multiuser I/O-HDMI Module Optional module for the M30 Multiuser Amplifier with two classic audio inputs (analog and optical), an HDMI-ARC input also has a CEC trigger. Order number: 156308100 Revox Multiuser I/O Module Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analog audio output. All audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.	Ø 3 10 1 10 2 2 1 1	The natented simplest operation - worldwide. The newly	
start page of the App. Each user can create their own user profile in the App. Individual rooms can be controlled individually and zones can be set up and operated. Revox Multiuser I/O-HDMI Module Optional module for the M30 Multiuser Amplifier with two classic audio inputs (analog and optical), an HDMI-ARC input and a configurable analog audio output. All audio inputs are audio-sensitive configurable, the HDMI-ARC input also has a CEC trigger. Order number: 156308100 Revox Multiuser I/O Module Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.	Description of the second of t	· · · · · · · · · · · · · · · · · · ·	und doogle i lay store
Each user can create their own user profile in the App. Individual rooms can be controlled individually and zones can be set up and operated. Revox Multiuser I/O-HDMI Module Optional module for the M30 Multiuser Amplifier with two classic audio inputs (analog and optical), an HDMI-ARC input and a configurable analog audio output. All audio inputs are audio-sensitive configurable, the HDMI-ARC input also has a CEC trigger. Order number: 156308100 Revox Multiuser I/O Module Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.	\$ ± \$ 1	· · · · · · · · · · · · · · · · · · ·	
Individual rooms can be controlled individually and zones can be set up and operated. Revox Multiuser I/O-HDMI Module Optional module for the M30 Multiuser Amplifier with two classic audio inputs (analog and optical), an HDMI-ARC input and a configurable analog audio output. All audio inputs are audio-sensitive configurable, the HDMI-ARC input also has a CEC trigger. Order number: 156308100 Revox Multiuser I/O Module Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.	The production of the control of the		
Revox Multiuser I/O-HDMI Module Revox Multiuser I/O-HDMI Module Optional module for the M30 Multiuser Amplifier with two classic audio inputs (analog and optical), an HDMI-ARC input and a configurable analog audio output. All audio inputs are audio-sensitive configurable, the HDMI-ARC input also has a CEC trigger. Order number: 156308100 Revox Multiuser I/O Module Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.		· · · · · · · · · · · · · · · · · · ·	
Optional module for the M30 Multiuser Amplifier with two classic audio inputs (analog and optical), an HDMI-ARC input and a configurable analog audio output. All audio inputs are audio-sensitive configurable, the HDMI-ARC input also has a CEC trigger. Order number: 156308100 Revox Multiuser I/O Module Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.	REVOX Multiuser	· · · · · · · · · · · · · · · · · · ·	
Optional module for the M30 Multiuser Amplifier with two classic audio inputs (analog and optical), an HDMI-ARC input and a configurable analog audio output. All audio inputs are audio-sensitive configurable, the HDMI-ARC input also has a CEC trigger. Order number: 156308100 Revox Multiuser I/O Module Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.		Revox Multiuser I/O-HDMI Module	
classic audio inputs (analog and optical), an HDMI-ARC input and a configurable analog audio output. All audio inputs are audio-sensitive configurable, the HDMI-ARC input also has a CEC trigger. Order number: 156308100 Revox Multiuser I/O Module Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.	Analog (Sub) Output Analog Input Rate Co. Left Rate Co. Set T. S. Service	Ontional module for the M20 Multiuser Amplifier with two	
and a configurable analog audio output. All audio inputs are audio-sensitive configurable, the HDMI-ARC input also has a CEC trigger. Order number: 156308100 Revox Multiuser I/O Module Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.	(0) (0) (0) (0) (0) (0) (0) (0) (0) (0)	·	IIICI. VAI
CEC trigger. Order number: 156308100 Revox Multiuser I/O Module Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.		and a configurable analog audio output. All audio inputs are	
Order number: 156308100 Revox Multiuser I/O Module Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.		•	
Revox Multiuser I/O Module Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.		CEC trigger.	
Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.		Order number: 156308100	
Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.		Revox Multiuser I/O Module	
classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output. Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.	Analog (Sub) Output Analog Input Digital Input	Optional module for the amplifier M30 and V219 with three	
Order number: 156308000 Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.	Fight C Left Fight C Gason C Concel	·	IIICI. VAI
Revox Multiuser 19" Rack Shelf A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.	Vazent - I/O Module 1,593,000,00 REVOX	optical) as a configurable analogue audio output.	
A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.		Order number: 156308000	
A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.		Revox Multiuser 19" Rack Shelf	115€
M30 amplifiers in a 19" rack with one height unit. Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.	14 44	A shalf allows the installation of up to 2 Multiveen V210 or	
Order number: 156309000 Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.			Inci. VAI
Revox Multiuser Wall Bracket A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.			
A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.		Order number: 156309000	
A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.			
A bracket for mounting the V219 and V219b amplifier to a wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.		Revox Multiuser Wall Bracket	
Wall. Order number: 156309100 Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation. The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.	•	A bracket for mounting the V219 and V219b amplifier to a	
Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation. The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.	The second second		mei. v/ti
Revox Multiuser 3.0 KNX Gateway The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation. The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.			
The KNX Gateway allows the integration of the Multiuser 3.0 incl. VAT System into the building automation.		Order number: 156309100	
The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation. incl. VAT		Revox Multiuser 3.0 KNX Gateway	590 €
System into the building automation.	KNX	The KNV Category allows the integration of the Marketine CO	
REVOX	MENCER.	·	inci. VAI
Order number: 156309550	REVOX	,	
	274 774	Order number: 156309550	



M204 Accessories

	Revox M204 IR Receiver	110€
	IR receiver for installation behind covers or blanking plates from switch ranges.	RRP incl. VAT
	Order number: 172090600	
	Revox M204 IR Receiver Aluminium Gehäuse	140€
	This IR receiver can be placed discreetly almost anywhere.	RRP incl. VAT
	Order number: 172090400	
	Revox M204 Receiver Flange	130€
a	IR receiver for integration in loudspeaker housings or other hollow bodies. Installation via a 20 mm mounting hole.	RRP incl. VAT
	Order numbers: 172090300 black 172090350 white	

Multiuser Licences

Order online via: www.revox.com/en/multiuser-multiroom/products/multiuser-licenses/

	Revox Multiuser 3.0 Remote License The Remote licence is activated by Revox on a device - specific basis and enables remote access to a Multiuser 3.0 server.	100 € RRP incl. VAT
Multiuser	Order number: 156306040	
•	Revox Multiuser 3.0 Smart Home License	250 € RRP
REVOX Multiuser	The Smart Home license allows communication between Smart HomeServer and Multiuser 3.0 Server. Works with GIRA and Feller HomeServer. The license is activated device-specifically by Revox. Includes the GIRA HomeServer plugin.	incl. VAT
	Order number: 156306041	
•	Revox Multiuser User License for V400 Server This license includes all sources provided by the server	300 € RRP incl. VAT
REVOX Multiuser	server for 1 user, incl. audio stream, which includes internet, radio Internet, Radio, Favourites and the Audio Server. Incl. AirPlay, Spotify, Tidal and Deezer. Order number: 156306030	
Licences	Revox Multiuser Hotel License From the 8th user license, the hotel mode is automatically activated on the V400 (Multiuser 2 System). Please ask your Revox sales consultant for prices.	



Global Caché Products

	Revox Global Caché iTach wired TCP/IP to IR	
	Converter of IP telegrams to infrared to control third party products via infrared commands, also as PoE (Power over Ethernet) version.	
	Order number: 156304901	230€
	156304905 PoE	310€
		RRP incl. VAT
	Revox Global Caché iTach wired TCP/IP to RS232	IIICI. VAI
7	Nevox Global cache Trach Wilea Tel / II to No252	
	Converter of IP telegrams to RS232 for controlling third-paper products with serial interface, also as PoE (Power over Ethnet) version.	
	Order number: 156304902	240 €
	156304906 PoE	310€
		RRP
		incl. VAT
	Revox Global Caché IR Learner	180€
	Interface for teaching in infrared commands.	RRP incl. VAT
	Order number: 156304910	



Revox Control STUDIOCONTROL

Revox STUDIOCONTROL C200

990.- € RRP incl. VAT



The **STUDIO**CONTROL C200 is an Android based and Google certified control with docking station. It is made of aluminum and equipped with a high-quality touch display.

It enables the comfortable control of audio systems and is suitable for various SMART HOME applications.

- Innovative control
- Easy installation of apps
- User-friendly operation
- High resolution touch display
- Outstanding Design
- Usable and within reach for everyone in the house
- Durable and robust due to the aluminium housing
- Individual setup and use of defined apps through the launcher mode

Order number: 156309200 black



Multiuser Control

5 0	Revox C100 Multiuser Remote Control	180€
REVOX	IR remote control with LED feedback for the Revox Multi- user System 3.0 (requires an IR receiver in the room). 4 User favourite buttons, which are supplemented by 4 user and additional function buttons. CR2032 lithium batteries are included.	RRP incl. VAT
Multiuser	Order number: 156310000 black	
	Revox V208 Multiuser Remote Control IR remote control with LED feedback for the Revox Multiuser System 2.x (requires an IR receiver in the room). 4 user buttons, which are supplemented by additional source and function buttons. CR2032 lithium batteries are included. Order number: 156309400 black	145€ RRP incl. VAT
	Revox C18 Multiuser Wall Control Wall-mounted control unit for the Revox Multiuser System	240 € RRP incl. VAT
REVOX	3.0. Suitable for all 55 switch ranges such as Jung, Gira, Merten, Berker etc. Individual labeling of the buttons can be ordered via Revox. Without frame.	IIICI. VAI
REVOX Multiuser	Order numbers: 156307200 shiny white 156307203 anthracite 156307207 black	
138 138 A A	Revox C18 Multiuser Wall Control Cover Plate	35 € RRP
REVOX REVOX	Front panel of the wall control unit for the Revox Multiuser System 3.0. Suitable for all 55 switch ranges such as Jung, Gira, Merten, Berker etc. Individual labeling of the buttons can be ordered via Revox. Without frame, incl. buttons.	incl. VAT
wunuser	Order numbers: 156307210 shiny white 156307213 anthracite 156307217 black	
	Revox V218 Multiuser Wall Control	240€
GORA POLICE PRINT Sprah B3 ® Peter Sprah B3 ® Pt	Wall control for the Revox Multiuser 2 System, in the design Gira System 55. Frame not included.	RRP incl. VAT
	Order number: 156307000 shiny white Other colours on request.	



App Operation

and the same	Revox Multiuser App for iOS and Android	Free of charge
The second secon	The patented simplest operation - worldwide. The newly developed Revox Multiuser App enables a very unique operation. Each user always has their favourites directly on their personal start page of the App. Each user can create their own user profile in the App. Individual rooms can be controlled individually and zones can be set up and operated.	in Apple App-Store and Google Play Store
Plud © 07:57 KR- Archive Jout Incomment	Revox Joy App for iOS and Android	Free of charge
abstrait	For further information see page 9.	in Apple App-Store and Google Play Store
Revox STUDIOART	Revox STUDIOART App for iOS and Android	Free of charge
And Andrews And Andrews British Andrews State Control of the Control of the Control Parameter Andrews And	For further information see page 12.	in Apple App-Store and Google Play Store
t % wohrdammer & 1 Hode Robert	Revox Multiuser 2 App for iOS and Android	Free of charge in Apple App-Store
Excellent of the base of the b	For controlling the Revox Multiuser Systems Version 2.x. Provides access to various sources of the Multiuser System and also to the integrated audio services such as Internet radio or music server. Each user can be assigned rights for sources and rooms.	and Google Play Store



Appendix Additional products Multiuser/Multiroom

	Ubiquiti Switch ES-16-150	daily rate
::::::::::::::::::::::::::::::::::	Active Layer 3 PoE switch from the Ubiquiti Edge series with 16 ports and max. 150W power. Revox recommends this switch for the Revox Multiuser System.	
	Order number: 156304923	
	Ubiquiti Switch ES-16-XP	daily rate
· ORININA ORININA :	Passive Layer 3 PoE switch from the Ubiquiti Edge series with 16 ports. Revox recommends this switch for the Revox Multiuser System.	
	Order number: 156304921	
	Ubiquiti Switch ES-24-Lite	daily rate
	Layer 3 switch without PoE function from the Ubiquiti Edge series with 24 ports. Revox recommends this switch for the Revox Multiuser System.	
	Order number: 156304922	
	Ecler 2-Channel Amplifier	710 € RRP
	2-channel stereo amplifier. In combination with M30 Multi- user Amplifier + INV SUB as bass power amplifier. 2 analog inputs and 2 audio outputs. 145 Watt RMS/4 Ohm	incl. VAT
	Order number: 108469702 2-channel	
	Ecler 4-/ 6-Channel DSP Amplifier	
NXAG-80 Becker	For setting the frequency response of individual speakers. Integrated DSP processor with matrix function. 4-channel: 4 analog inputs and 4 audio outputs. 4 GPI ports and integrated DSP processor with matrix function. 66 watts RMS/4 ohms, 43 watts RMS/8 ohms. 6-channel: 6 analog inputs and 6 audio outputs. 6 GPI ports and integrated DSP processor with matrix function. 65 watts RMS/4 ohms, 42 watts RMS/8 ohms.	
	Order number: 108469704 4-channel 108469706 6-channel	2,100 € 2,500 € RRP incl. VAT
	Ecler Adapter	24€
	Connecting cable cinch mono/socket to Phoenix 3-pole contact. For connecting an Ecler amplifier to the source.	RRP incl. VAT
	Order number: 108469930	







Revox Deutschland GmbH www.revox.com