



Price List 2025



**Discover the new dimensions of
true-to-original studio sound quality.**





Table of contents

Revox Audio Systems.....	4
Amplifier.....	4
Audio Server.....	6
Turntables.....	7
 Revox Wireless Speakers.....	9
Accessories Wireless Speakers.....	10
 Revox Speakers.....	12
Floorstanding/ Compact Speakers.....	12
Plant Pot Speakers.....	15
Outdoor Speakers.....	17
Accessories Speakers.....	18
Built-in Speakers.....	19
Installation Aids.....	22
Installation Housings.....	23
Invisible Speakers.....	24
Accessories Invisibles.....	30
 Revox Multiuser Multiroom System.....	31
Multiuser Hardware.....	32
Accessories M204.....	34
Multiuser Licences.....	34
Interface Products.....	35
 Revox Control.....	36
STUDIOCONTROL	36
Multiuser Control.....	37
App Operation.....	38






Revox Audio Systems Amplifier

 	<p>Revox STUDIOMASTER M500</p> <p>The STUDIOMASTER M500 is equipped with a powerful, built-in amplifier, a DAB+, FM tuner and an OLED glass front display. It also comes with multiple connection options and accommodate a wide range of audio sources. Playback options include Wi-Fi, LAN, Bluetooth and AirPlay 2. It is also able to stream iRadio, Spotify, Tidal, Deezer. HDMI and other ports connect with TVs, tape recorders, headphones and CD players. The unique Revox Multiuser concept enables individual listening options for several users in one room. The Multiroom solution builds on the modular approach to deliver the same versatility across different rooms. Controllable via the unique Revox Multiuser App.</p> <p>Power: 2x max. 180 Watts RMS</p> <p>Order numbers:</p> <p>156500500 silver/black glass 156500510 white/black glass 156500520 black/black glass</p>	<p>3,995.- € RRP incl. VAT</p>
---	--	--


 	<p>Revox STUDIOMASTER M300</p> <p>The STUDIOMASTER M300 is equipped with a powerful, built-in amplifier, a DAB+, FM tuner and an OLED glass front display. It also comes with multiple connection options and accommodate a wide range of audio sources. Playback options include Wi-Fi, LAN, Bluetooth and AirPlay 2. It is also able to stream iRadio, Spotify, Tidal, Deezer. HDMI and other ports connect with TVs, tape recorders, headphones and CD players. The unique Revox Multiuser concept enables individual listening options for several users in one room. The Multiroom solution builds on the modular approach to deliver the same versatility across different rooms. Controllable via the unique Revox Multiuser App.</p> <p>Power: 2x max. 120 Watts RMS</p> <p>Order numbers: 156500300 silver/black glass 156500310 white/black glass 156500320 black/black glass</p>	<p>3,295.- € RRP incl. VAT</p>
 	<p>Revox Multiuser App for iOS and Android</p> <p>The patented simplest operation - worldwide. The newly developed Revox Multiuser App enables a very unique operation. Every user always has his or her favourites on their personal start page of the App. Each user can create their own user profile in the App. Individual rooms can be controlled individually and zones can be set up and operated.</p>	<p>Free of charge in Apple App-Store and Google Play Store</p>



Audio Server

	<p>Revox S37 Audio Server</p> <p>Revox audio server with drive to rip CDs; design matching the Revox STUDIOMASTER systems; low-noise operation due to external power-supply and fanless electronics; integrated 1 TB hard disk for around 3600 CDs in full CD quality.</p> <p>Order numbers: 155405100 white/white glass</p>	<p>2,995.- € RRP incl. VAT</p>
	<p>Revox Upgrade SSD for Audio Server</p> <p>Optional SSD memory instead of hard disk in the Audio Server S37. Ideal for operation with an external hard disk such as a network hard disk. On request.</p> <p>Order numbers: 155405902 256 GB 155405905 512 GB</p>	<p>120.- € 300.- € RRP incl. VAT</p>
	<p>Revox DAB+/FM frequency separator</p> <p>For the simultaneous connection of an FM and DAB antenna.</p> <p>Order numbers: 156109701</p>	<p>50.- € RRP incl. VAT</p>






Revox Turntable

	<p>Revox STUDIOMASTER T700 Turntable</p> <p>The STUDIOMASTER T700 Turntable is a high-end record player made from the highest quality materials and impresses with its elegant and timeless design. With Ortofon Quintet Bronze cartridge.</p> <p>Dimensions: 470 x 336 x 156 mm (WxDxH) without sockets</p> <p>Order number: 127900500</p>	<p>3,695.- € RRP incl. VAT</p>
---	--	--

	<p>Revox STUDIOMASTER T700 Turntable BASIC</p> <p>The STUDIOMASTER T700 Turntable BASIC is a high-end turntable with a very unique integrated MC phono preamplifier. It is made of the highest-grade materials, and fascinates with an elegant and timeless design. Without pickup.</p> <p>Dimensions: 470 x 336 x 156 mm (WxDxH) without sockets</p> <p>Order number: 127900500</p>	<p>2,995.- € RRP incl. VAT</p>
	<p>Revox STUDIOMASTER T700 Turntable PRO</p> <p>The STUDIOMASTER T700 Turntable PRO is a high-end turntable made from the highest quality materials and impresses with its elegant and timeless design. With Ortofon Black cartridge. Connections for XLR, RCA/cinch via included Neutrik adapters. DIP switch for home and studio level adjustment. Impedance adjustment per channel in 6 steps: 47 / 100 / 220 / 470 / 1K / 2K ohms</p> <p>Order number: 127900400</p>	<p>4,495.- € RRP incl. VAT</p>







Revox Wireless Speakers

 <p>Revox STUDIOMASTER A200 Room Speaker</p> <p>Active speaker with integrated bass reflex technology. Easy to operate on the product itself and via the Revox Multiuser app. The control panel and integrated display allow you to control and access music sources and personal favorites at any time. With Multiuser 3.0 software – can be used in a multi-room audio solution. Battery and mains operation.</p> <p>Order numbers: 142020100 black 142020200 white</p>	<p>495.- € RP incl. VAT</p>
  <p>Revox Multiuser App for iOS and Android</p> <p>The simplest patented operation worldwide. The newly developed Revox Multiuser App enables completely unique operation. Each user always has their favorites directly on their personal app home page. Each user can create their own user profile in the app. Individual rooms can be controlled individually and zones can be set up and operated.</p>	<p>Available free of charge from the Apple App Store and Google Play Store</p>

STUDIOART

	<p>Revox STUDIOART S100 Audiobar</p> <p>Active 3.1 speaker for an impressive music and TV/home cinema experience. With the highest playback quality up to 192 kHz/24 bit and excellent voice reproduction. Integrated dual-port bass reflex technology. The S100 can be operated either with the handy remote control, the touch controls directly on the glass surface of the audio bar, or via the free STUDIOART app.</p> <p>Order numbers: 141010100 black 141010200 white</p>	<p>1,595.- € RP incl. VAT</p> <p>Promotion price 975.- €</p>
	<p>Revox STUDIOART P100 Room Speaker</p> <p>Passive additional speaker for stereo playback of the STUDIOART A100 Room Speaker and the STUDIOMASTER A200 Room Speaker with the highest playback quality. Connection with a speaker cable.</p> <p>Order numbers: 141030100 black 141030200 white</p>	<p>195.- € RP incl. VAT</p>
	<p>Revox STUDIOART B100 Bass Module</p> <p>Powerful bass reflex subwoofer with dynamically optimized, precise bass reproduction and minimal distortion. Integrated dual-port bass reflex technology. Connects to other STUDIOART products via wireless (KleerNet). Can be combined with other Revox floorstanding/compact speakers.</p> <p>Order numbers: 141070100 black 141070200 white</p>	<p>995.- € RP incl. VAT</p>
	<p>Revox STUDIOART App</p> <p>Control your STUDIOART products via app. Multiroom groups can also be created or separated directly in the device overview list using a drag & drop function.</p>	<p>Available free of charge from the Apple App Store and Google Play Store</p>

Accessories Wireless Speaker





	<p>Revox Transport Bag for Room Speakers</p> <p>Suitable for STUDIOMASTER A200, STUDIOART A100, and STUDIOART P100 room speakers. High-quality hard case with interior and exterior padding. Includes carrying strap.</p> <p>Order number: 141020102</p>	<p>39.- € RRP incl. VAT</p>
	<p>Spectral Floor Stand for Room Speakers</p> <p>Floor stand for STUDIOMASTER A200, STUDIOART A100, and STUDIOART P100 room speakers with colored glass base and silver pole. Easy mounting, concealed cable routing. Available on request.</p> <p>Order number: 141090002 silver glass base</p>	<p>175.- € RRP incl. VAT</p>
	<p>Revox Wall Bracket (2pcs) for Room Speakers</p> <p>Easy installation, including necessary accessories. Safety tested and UL listed. 2 pieces per packing unit.</p> <p>Order number: 141020101</p>	<p>59.- € RRP incl. VAT</p>
	<p>Revox Wall Bracket for STUDIOART S100 Audiobar</p> <p>For positioning the Revox Audiobar on the wall. Easy installation, safetytested. 2 pieces needed for the mount.</p> <p>Order numbers: 141010101 black 141010201 white</p>	<p>34.- € RRP incl. VAT</p>





Revox Speakers




Floor-Standing/ compact




	<p>Revox Prestige G140</p> <p>3-way bass reflex loudspeaker. Four long-throw bass drivers, a low-distortion mid-range speaker and a tweeter with a large fabric cone ensure the G Prestige's incredibly precise and powerful sound. Glass front panel and glass base.</p> <p>140/180 Watts – 36 Hz to 30 kHz – 90 dB (2,83V/1m) Dimensions: W 140 x D 270 x H 1262 mm Dimensions glass base: W 260 x D 390 x H 12 mm</p> <p>Order numbers: 108422500 silver/black glass 108422600 white/white glass 108423600 black/black glass</p>	<p>2,495.- € RRP incl. VAT per piece</p>
	<p>Revox Elegance G120</p> <p>2.5-way bass reflex speaker with highly elegant slender design and excellent sound performance, also thanks to the D'Appolito chassis arrangement. Glass front panel and glass base.</p> <p>120/150 Watts – 40 Hz to 30 kHz – 86,5 dB (2,83V/1m) Dimensions: W 104 x D 160 x H 1112 mm Dimensions glass base: W 210 x D 270 x H 12 mm</p> <p>Order numbers: 108423000 silver/black glass 108423100 white/white glass 108423500 black/black glass</p>	<p>1,495.- € RRP incl. VAT per piece</p>



	<p>Revox Column G70</p> <p>Slender 2.0-way bass reflex speaker with great sound, also thanks to the D'Appolito chassis arrangement. Glass front panel and glass base.</p> <p>70/100 Watts – 42 Hz to 30 kHz – 86,5 dB (2,83V/1m) Dimensions: W 104 x D 104 x H 1112 mm Dimensions glass base: W 215 x D 215 x H 12 mm</p> <p>Order numbers: 108421500 silver/black glass 108421600 white/white glass 108423400 black/black glass</p>	<p>995.- € RRP incl. VAT per piece</p>
	<p>Revox Center G100</p> <p>Surround solution for your home cinema. Delivers realistic voice reproduction and centre sound placement for authentic surround sound. Can be combined with speakers from the G series.</p> <p>100/130 Watts – 45 Hz to 30 kHz – 88 dB (2,83V/1m) Dimensions: W 470 x D 260 x H 104 mm</p> <p>Order numbers: 108422100 silver/black glass 108422200 white/white glass 108423700 black/black glass</p>	<p>995.- € RRP incl. VAT per piece</p>
	<p>Revox Shelf G70</p> <p>Beautifully designed 2-way bass reflex compact speaker for perfect sound with impressive bass response even from a small size, also thanks to the D'Appolito chassis arrangement.</p> <p>4 Ohms – 70/100 Watts – 45 Hz to 30 kHz – 90 dB (2,83V/1m) Dimensions: W 105 x D 218 x H 320 mm (without cord)</p> <p>Order numbers: 108421700 silver/black glass 108421800 white/white glass 108421900 black/black glass</p>	<p>795.- € RRP incl. VAT per piece</p>
	<p>Revox Mini G50</p> <p>2-way bass reflex speaker, smallest in the G series. Outstanding sound quality, features impressive base response.</p> <p>4 Ohms – 50/70 Watts – 55 Hz to 30 kHz – 86 dB (2,83V/1m) Dimensions: W 104 x D 130 x H 180 mm</p> <p>Order numbers: 108420500 silver/black glass 108420600 white/white glass 108423200 black/black glass</p>	<p>495.- € RRP incl. VAT per piece</p>

	<p>Revox Piccolo S60</p> <p>2-way bass reflex speaker with impressive sound quality from a highly compact format, high-performance bass reflex system for powerful base response.</p> <p>60/80 Watts – 60 Hz to 20 kHz – 88,5 dB (2,83V/1m) Dimensions: W 140 x T 140 x H 140 mm</p> <p>Order numbers: 108443300 white 108444600 black</p>	<p>395.- € RRP incl. VAT</p>
	<p>Revox STUDIOART B100 Bass Module</p> <p>Powerful bass reflex subwoofer with dynamically optimized, precise bass reproduction and minimal distortion. Integrated dual port bass reflex technology. Can be used universally with other Revox speakers.</p> <p>Order numbers: 141070100 black 141070200 white</p>	<p>995.- € VP incl. VAT</p>


Plant Pot Speakers

	<p>Revox Botanic 70-4 Outdoor</p> <p>A special loudspeaker for outdoor use. Thanks to four powerful invisible speakers from Revox, the sides of the handmade fiberglass plant pot are used to deliver impressive sound reproduction. Protected installation inside makes it weatherproof and suitable for flexible outdoor use. External IP connection box for the speaker cables. Plant not included.</p> <p>Dimensions: 70 x 70 x 70 cm, color: anthracite Power: 4x 60 wattss, impedance: 4x 8 ohmss Protective function: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)</p> <p>Order number: 108465704</p>	<p>4,250.- € RRP incl. VAT</p>
	<p>Revox Botanic 70-2 Outdoor</p> <p>A special loudspeaker for outdoor use. Thanks to two powerful invisible speakers from Revox, which are mounted on opposite sides (o = opposite) or across the corner (c = corner) from the inside, the sides of the handmade fiberglass plant pot are used for impressive sound reproduction. Protected installation inside makes it weatherproof and suitable for flexible outdoor use. External IP connection box for the speaker cables. Plant not included.</p> <p>Dimensions: 70 x 70 x 70 cm, color: anthracite Power: 4x 60 wattss, impedance: 4x 8 ohmss Protective function: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)</p> <p>Order numbers: 108465702 Botanic 70-2o Outdoor 108465712 Botanic 70-2c Outdoor</p>	<p>3,800.- € RRP incl. VAT</p>
	<p>Revox Botanic 50-2 Outdoor</p> <p>A special loudspeaker for outdoor use. Thanks to two powerful Invisible Speakers from Revox, which are mounted on opposite sides (o = opposite) or across the corner (c = corner) from the inside, the sides of the handmade fiberglass plant pot are used for impressive sound reproduction. The protected installation inside makes it weatherproof and flexible for outdoor use. External IP connection box for the speaker cables. Plant not included.</p> <p>Dimensions: 50 x 50 x 50 cm, color: anthracite Power: 2x 60 wattss, impedance: 2x 8 ohmss Protective function: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)</p> <p>Order numbers: 108465502 Botanic 50-2o Outdoor 108465512 Botanic 50-2c Outdoor</p>	<p>2,400.- € RRP incl. VAT</p>




	<p>Revox Botanic 50-1 Outdoor</p> <p>A special loudspeaker for outdoor use. Thanks to a powerful invisible speaker from Revox, which is mounted on one side from the inside, one side of the handmade fiberglass plant pot is used for impressive sound reproduction. Protected by its internal installation, it is weatherproof and can be used flexibly outdoors. External IP connection box for the speaker cables. Plant not included.</p> <p>Dimensions: 50 x 50 x 50 cm, color: anthracite Power: 1x 60 wattss, impedance: 1x 8 ohmss Protective function: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)</p> <p>Order number: 108465501</p>	<p>2,200.- € RRP incl. VAT</p>
	<p>Revox Botanic 70-4 Indoor</p> <p>A special loudspeaker for indoor use. Thanks to four powerful invisible speakers from Revox, the sides of the handmade fiberglass plant pot are used to deliver impressive sound reproduction. Suitable for all floor coverings thanks to the waterproof base plate with additional moisture storage space. Plant not included.</p> <p>Dimensions: 70 x 70 x 70 cm, color: anthracite Power: 4 x 60 wattss, impedance: 4 x 8 ohmss Protective function: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)</p> <p>Order number: 108466704</p>	<p>4,600.- € RRP incl. VAT</p>
	<p>Revox Botanic 70-2 Indoor</p> <p>A special loudspeaker for indoor use. Thanks to two powerful invisible speakers from Revox, which are mounted on opposite sides (o = opposite) or across the corner (c = corner) from the inside, the sides of the handmade fiberglass plant pot are used for impressive sound reproduction. Suitable for all floor coverings thanks to the waterproof base plate with additional moisture storage space. Plant not included.</p> <p>Dimensions: 70 x 70 x 70 cm, color: anthracite Power: 2x 60 wattss, impedance: 2x 8 ohmss Protective function: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)</p> <p>Order numbers: 108466702 Botanic 70-2o Indoor 108466712 Botanic 70-2c Indoor</p>	<p>4,150.- € RRP incl. VAT</p>

	<p>Revox Botanic 50-2 Indoor</p> <p>A special loudspeaker for indoor use. Thanks to two powerful invisible speakers from Revox, which are mounted on opposite sides (o = opposite) or across the corner (c = corner) from the inside, the sides of the handmade fiberglass plant pot are used for impressive sound reproduction. Suitable for all floor coverings thanks to the waterproof base plate with additional moisture storage space. Delivery without plant.</p> <p>Dimensions: 50 x 50 x 50 cm, color: anthracite Power: 2x 60 wattss, impedance: 2x 8 ohmss Protective function: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)</p> <p>Order numbers: 108466502 Botanic 50-2o Indoor 108466512 Botanic 50-2c Indoor</p>	<p>2,700.- € RRP incl. VAT</p>
	<p>Revox Botanic 50-1 Indoor</p> <p>A special loudspeaker for indoor use. Thanks to a powerful invisible speaker from Revox, which is mounted on the inside of one side, one side of the handmade fiberglass plant pot is used for impressive sound reproduction. Suitable for all floor coverings thanks to the waterproof base plate with additional moisture storage space. Delivery without plant.</p> <p>Dimensions: 50 x 50 x 50 cm, color: anthracite Power: 1x 60 wattss, impedance: 1x 8 ohmss Protective function: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)</p> <p>Order number: 108466501</p>	<p>2,500.- € RRP incl. VAT</p>

Outdoor Speakers

	<p>Revox Outdoor I80</p> <p>Splash-proof 2-way speaker for outdoor use. The wall bracket allows for vertical or horizontal mounting.</p> <p>6 ohmss – 80/110 Watts – 50 Hz to 22 kHz – 89dB (2,83V/1m) Dimensions: W 166 x D 166 x H 250 mm, Depth incl. bracket: 190 mm, weight: 2,8 kg</p> <p>Order numbers: 108457500 white 108457600 black 108457700 white with IR Receiver 108457760 black with IR Receiver</p>	<p>380.- € 440.- € 470.- € 530.- € RRP incl. VAT</p>
---	--	---

Speaker Accessories

	<p>Revox Wall Mount for Mini/Piccolo, solid wall</p> <p>Wall mount suitable for Mini G50 speakers and Piccolo speakers. Continuous alignment of the speakers possible. Suitable for solid walls.</p> <p>Order number: 108443400</p>	<p>80.- € RRP incl. VAT</p>
	<p>Revox Wall Mount for Mini/Piccolo, hollow wall</p> <p>Wall mount suitable for Mini G50 speakers and Piccolo speakers. Continuous alignment of the speakers possible. Suitable for hollow walls.</p> <p>Order number: 108460600</p>	<p>105.- € RRP incl. VAT</p>
	<p>Revox Wall Bracket for Mini/Shelf, flat (2 pieces)</p> <p>Extremely flat wall bracket for Mini G50 and Shelf G70; two wall brackets per packaging unit. Fixed position of the speakers parallel to the wall. Suitable for hollow walls and for solid walls.</p> <p>Order number: 108420700</p>	<p>70.- € RRP incl. VAT</p>






Built-In Speakers







With the Revox Built-in Speakers, we've designed a series which combines amazing sound and the greatest optic discretion, because the speaker frame is practically invisible to the eye. These premium audio transducers fit seamlessly into any room décor and surprise the listener with both their sound as well as their remarkable presence and fullness.

Infra-red receivers are available optionally for all speakers in the Built-in series. Hidden entirely behind the metal grill, the receiver controls the Revox Multiuser System on site remotely, even when the amplifier is in a different room. The Built-in Speakers are also insensitive to moisture and can also be installed in the bathroom or in a protected outdoor area, for example in a canopy for an outdoor seating area.

The stereo version with double tweeters is intended to provide excellent sound in particularly small spaces. The low installation depth also allows a problem-free and easy installation of all speakers of the I series.

A special highlight: The Revox amplifiers of the multiuser system contain the individual frequency responses of all Revox Built-in Speakers. This specific frequency correction guarantees studio sound quality that is true to the original.




	<p>Revox Inceiling I52</p> <p>Round 2-way built-in ceiling speakers (white) for installation in suspended ceilings of medium-sized rooms.</p> <p>Technical data: frequency range within ceiling: 50 Hz - 20 kHz (IEC); frequency range with Revox housing: 60 Hz - 20 kHz; crossover frequency: 4 kHz, performance: 50/70 Watts; impedance: 6 Ohms, efficiency: 88 dB/2.83V/1m; receiv. amplifier power: 20-100 Watts</p> <p>outer diameter: 202 mm, cutout diameter: 165 mm; installation depth: 75 mm; weight: 1,2 kg</p> <p>Order numbers:</p> <p>108459000 white</p> <p>108459100 black</p> <p>108459200 white with IR Receiver</p> <p>108459260 black with IR Receiver</p>	<p>249.- €</p> <p>279.- €</p> <p>399.- €</p> <p>429.- €</p> <p>RRP</p> <p>incl. VAT</p>
	<p>Revox Inceiling I82</p> <p>Round 2-way built-in ceiling speakers (white) for installation in suspended ceilings of medium-sized and large rooms.</p> <p>Technical data: frequency range within ceiling: 32 Hz - 20 kHz (IEC); frequency range with Revox housing: 48 Hz - 20 kHz; crossover frequency: 3.8 kHz; performance: 80/110 Watts; impedance: 6 Ohms; efficiency: 90 dB/2.83V/1m; receiv. amplifier power: 20-150 Watts</p> <p>outer diameter: 273 mm; cutout diameter: 238 mm; installation depth: 95 mm; weight: 2,1 kg</p> <p>Order numbers:</p> <p>108459500 white</p> <p>108459600 black</p> <p>108459700 white with IR Receiver</p> <p>108459760 black with IR Receiver</p>	<p>359.- €</p> <p>389.- €</p> <p>529.- €</p> <p>559.- €</p> <p>RRP</p> <p>incl. VAT</p>
	<p>Revox Inceiling I82 Stereo</p> <p>Round double 2-way built-in ceiling speakers (white) for installation in suspended ceilings.</p> <p>Technical data: frequency range within ceiling: 32 Hz - 20 kHz (IEC); frequency range with Revox housing: 48 Hz - 20 kHz; crossover frequency: 2.5 kHz; performance: 2x40/2x60 Watts; impedance: 2x6 Ohms; efficiency: 90 dB/2.83V/1m; receiv. amplifier power: 2x20-2x75 Watts</p> <p>outer diameter: 273 mm; cutout diameter: 238 mm; installation depth: 95 mm; weight: 2,3 kg</p> <p>Order numbers:</p> <p>108459800 white</p> <p>108459850 black</p> <p>108459900 white with IR Receiver</p> <p>108459960 black with IR Receiver</p>	<p>479.- €</p> <p>509.- €</p> <p>629.- €</p> <p>659.- €</p> <p>RRP</p> <p>incl. VAT</p>

 	<p>Revox Inwall I52</p> <p>Angular 2-way built-in speakers (white), for installation in wall coverings of medium-sized rooms.</p> <p>Technical data: frequency range within ceiling: 50 Hz - 20 kHz (IEC); frequency range with Revox housing: 60 Hz - 20 kHz; crossover frequency: 4 kHz; performance: 50/70 Watts; impedance: 6 Ohms; efficiency: 88 dB/2.83V;</p> <p>outer dimensions: 172 x 172 mm; cutout dimensions: 148 x 148 mm; installation depth: 75 mm; weight: 1,2 kg</p> <p>Order numbers:</p> <p>108458000 white</p> <p>108458100 black</p> <p>108458200 white with IR Receiver</p> <p>108458260 black with IR Receiver</p>	<p>249.- €</p> <p>279.- €</p> <p>399.- €</p> <p>429.- €</p> <p>RRP incl. VAT</p>
 	<p>Revox Inwall I82</p> <p>Angular 2-way built-in speakers (white), for installation in wall coverings of medium-sized and large rooms.</p> <p>Technical data: frequency range within ceiling: 32 Hz - 20 kHz (IEC); frequency range with Revox housing: 48 Hz - 20 kHz; crossover frequency: 3.8 kHz; performance: 80/110 Watts; impedance: 6 Ohms; efficiency: 90 dB/2.83V/1m;</p> <p>outer dimensions: 250 x 250 mm; cutout dimensions: 222 x 222 mm; installation depth: 95 mm; weight: 2,1 kg</p> <p>Order numbers:</p> <p>108458500 white</p> <p>108458600 black</p> <p>108458700 white with IR Receiver</p> <p>108458760 black with IR Receiver</p>	<p>359.- €</p> <p>389.- €</p> <p>529.- €</p> <p>559.- €</p> <p>RRP incl. VAT</p>
 	<p>Revox Inwall I82 Stereo</p> <p>Angular double 2-way built-in speakers (white), for installation in wall coverings.</p> <p>Technical data: frequency range within ceiling: 32 Hz - 20 kHz (IEC); frequency range with Revox housing: 48 Hz - 20 kHz; crossover frequency: 2.5 kHz; performance: 2x40/2x60 Watts; impedance: 2x6 Ohms; efficiency: 90 dB/2.83V/1m;</p> <p>outer dimensions: 250 x 250 mm; cutout dimensions: 222 x 222 mm; installation depth: 5 mm; weight: 2,3 kg</p> <p>Order numbers:</p> <p>108458800 white</p> <p>108458850 black</p> <p>108458900 white with IR Receiver</p> <p>108458960 black with IR Receiver</p>	<p>479.- €</p> <p>509.- €</p> <p>629.- €</p> <p>659.- €</p> <p>RRP incl. VAT</p>

Installation Aids

<div data-bbox="161 434 338 571"></div> <div data-bbox="156 611 325 743"></div> <p>Revox Trimless Mounting Kit - I52 Speaker</p> <p>For flush mounting of I52 recessed loudspeakers in drywalls and ceilings. We recommend the additional use of a Secobox (order no. 179146200).</p> <p>Material: MDF white primed, dimensions: 261 x 261 x 25 mm, cut-out 165 mm round (Inceiling) resp. cut-out 148 x 148 mm square (Inwall).</p> <p>Incl. 4 double-sided adhesive dots for fixing the Secoboxx.</p> <p>Packed in shrink-wrap with enclosed operating instructions.</p> <p>Order numbers: 179146210 for Inceiling I52 179146220 for Inwall I52</p>	<p>129.- € RRP incl. VAT</p>
<div data-bbox="132 1003 381 1193"></div> <div data-bbox="127 1254 362 1440"></div> <p>Revox Trimless Mounting Kit - I82 Speaker</p> <p>For flush mounting of I82 recessed loudspeakers in drywalls and ceilings. We recommend the additional use of a Secoboxx (order no. 179146200).</p> <p>Material: MDF white primed, dimensions: 339 x 339 x 25 mm, cut-out 238 mm round (Inceiling) resp. cut-out 222 x 222 mm square (Inwall).</p> <p>Incl. 4 double-sided adhesive points for fixing the Secoboxx.</p> <p>Packed in shrink-wrap with enclosed operating instructions.</p> <p>Order numbers: 179146230 for Inceiling I82 179146240 for Inwall I82</p>	<p>149.- € RRP incl. VAT</p>

Installation Housings

	<p>Revox Euroboxx</p> <p>Ceiling installation housing consisting of EPS base body with glued-in OSB rear wall cover and OSB front with cut-out for installation in concrete ceilings.</p> <p>Dimensions Euroboxx M for I52 330×330×160 mm (L × W × H); Installation depth max. 145mm</p> <p>Dimensions Euroboxx L for I82 390×390×175 mm (L × W × H); Installation depth max. 175mm</p> <p>Order numbers:</p> <p>179144000 for Inceiling I52</p> <p>179145000 for Inwall I52</p> <p>179144101 for Inceiling I82</p> <p>179145100 for Inwall I82</p>	<p>149.- €</p> <p>149.- €</p> <p>159.- €</p> <p>159.- €</p> <p>RRP</p> <p>incl. VAT</p>
	<p>Revox Wallboxx</p> <p>Universal installation housing Wallboxx, designed for masonry and concrete walls. The Wallboxx enables professional installation of built-in speakers. Front and rear panels are made of OSB and integrate seamlessly into the workflow for easy further processing of the wall surface. The surrounding base body made of EPS is low in resonance and has sound-insulating properties. The loudspeaker opening has to be made by a self-cut-out.</p> <p>Dimensions Wallboxx M for I52 435 × 390 × 120 mm (L × W × H)</p> <p>Dimensions Wallboxx L for I82 590 × 435 × 120 mm (L × W × H)</p> <p>Order numbers:</p> <p>179146000 for all I52</p> <p>179146100 for all I82</p>	<p>289.- €</p> <p>299.- €</p> <p>RRP</p> <p>incl. VAT</p>
	<p>Revox Secoboxx</p> <p>Universal recessed wall and ceiling housing for Inwall I52, Inceiling I52, Inwall I82 and Inceiling I82. Designed for suspended ceilings and drywalls. Recessed enclosure consisting of high-quality acoustic panels. Optimum protection against dust, insects and drizzle.</p> <p>The loudspeaker opening has to be made by a self-cut-out, the rest is prepared ready for mounting and easy to install.</p> <p>Dimensions Secoboxx XS for all I52 & I82 290 × 290 × 100 mm (L × W × H)</p> <p>Order numbers:</p> <p>179146200 for all I52 & I82</p>	<p>119.- €</p> <p>RRP</p> <p>incl. VAT</p>



Invisible Speakers

The innovative, millimetre-thick flat loudspeakers are installed completely hidden below the plaster, paint or wallpaper, turning your wall or ceiling into invisible sources of sound. It's an uncanny listening experience: the soundboards were developed specifically for this purpose to provide a flat emission. This makes the harmonious sound equally enjoyable from anywhere in the room, regardless of where the listener is. Unleash your imagination! With the Revox Invisible speakers, there's no longer any limit to your decorating ideas.






The implementation of the audio solution can not be compared to that with conventional speakers. In addition, it varies depending on the type of installation or processing of the surface. When installing the loudspeaker, it must be taken into account that it is no longer accessible afterwards without destroying it. A correct installation - the rules of DIN drywall construction, the basics of painting and plastering technology and the assembly instructions for the products of the Invisible series - must therefore be observed.






The Invisible loudspeakers can be operated with certain amplifiers. The Revox the M30 Multiuser Amplifier, **STUDIOMASTER M500**, **STUDIOMASTER M300** and the V219 Multiuser Amplifier offer options for connecting these loudspeakers.

For professional advice, please contact your authorized Revox partner or Revox itself.





	<p>Revox INV UNIT MK II</p> <p>Panel loudspeakers installed invisibly under plaster, paint or wallpaper. Flat radiation characteristics. Full-range speaker with special polymer membrane equipped with high-performance subwoofer and exciter. Especially for invisible integration in drywall, solid construction, walls and ceilings. Can also be used behind wood with pocket milling.</p> <p>Dimensions: 900 x 410 x 96 mm, 4 Ohms, 150 Watts</p> <p>Order number: 108469640</p>	<p>1,399.- € RRP incl. VAT per piece</p>
	<p>Revox INV 40 aqua slim</p> <p>Surface loudspeaker particularly suitable for invisible background sound in rooms with increased humidity such as bathrooms and swimming pools. With polymer, moisture-protected special membrane for integration in dry construction, solid construction, walls and ceilings. Preferably on and in expansion panels to improve the room acoustics made of glass granulate expanded glass panels.</p> <p>Dimensions: 400 x 300 x 33 mm, 4 Ohms, 40 Watts</p> <p>Order number: 108466300</p>	<p>899.- € RRP incl. VAT per piece</p>
	<p>Revox INV 40 wood slim</p> <p>Surface loudspeaker particularly suitable for invisible background sound in rooms with wall and ceiling cladding as well as furniture made of wood and wood-based panels. With polymeric, specially coated special membrane for sustainable, flat bonding.</p> <p>Dimensions: 400 x 300 x 33 mm, 4 Ohms, 40 Watts</p> <p>Order number: 108466400</p>	<p>899.- € RRP incl. VAT per piece</p>
	<p>Revox INV 20 mini</p> <p>The mini version of the flat-panel loudspeakers for space-saving installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The speakers are protected by a plastic cover on the back.</p> <p>Dimensions: W200 x H300 x D33 mm, 8 Ohms, 20 Watts</p> <p>Order number: 108466000</p>	<p>749.- € RRP incl. VAT per piece</p>



	<p>Revox INV 20 mini carbon</p> <p>The mini version of the flat-panel loudspeakers for space-saving installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The speakers are protected by a plastic cover on the back. Suitable for outdoor use thanks to the special carbon membrane.</p> <p>Dimensions: W200 x H300 x D33 mm, 8 Ohms, 20 Watts</p> <p>Order number: 108466100</p>	<p>819.- € RRP incl. VAT per piece</p>
	<p>Revox INV 20 slim</p> <p>The innovative flat-panel loudspeaker, only a few millimetres thick, is installed completely invisibly under plaster, paint or wallpaper and turns the wall or ceiling into a hidden sound source. With polymer, specially coated special membrane for lasting, flat bonding.</p> <p>Dimensions: W300 x H400 x D33 mm, 8 Ohms, 20 Watts</p> <p>Order number: 108466900</p>	<p>739.- € RRP incl. VAT per piece</p>
	<p>Revox INV 20 slim carbon</p> <p>The innovative flat-panel loudspeaker, only a few millimetres thick, is installed completely invisibly under plaster, paint or wallpaper and turns the wall or ceiling into a hidden sound source. With polymer, specially coated special membrane for lasting, flat bonding. Suitable for outdoor use thanks to the special carbon membrane.</p> <p>Dimensions: W300 x H400 x D33 mm, 8 Ohms, 20 Watts</p> <p>Order number: 108466200</p>	<p>889.- € RRP incl. VAT per piece</p>
	<p>Revox INV 40 stereo</p> <p>Stereo Invisible loudspeaker in one size for installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover.</p> <p>Dimensions: 625 x 410 x 52 mm, 2 x 8 Ohms, 2 x 20 Watts</p> <p>Order number: 108467300</p>	<p>1,099.- € RRP incl. VAT per piece</p>
	<p>Revox INV 40 stereo carbon</p> <p>Stereo Invisible loudspeaker in one size for installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover. Suitable for outdoor use thanks to the special carbon membrane.</p> <p>Dimensions: 625 x 410 x 52 mm, 2 x 8 Ohms, 2 x 20 Watts</p> <p>Order number: 108467500</p>	<p>1,259.- € RRP incl. VAT per piece</p>

	<p>Revox INV 40</p> <p>Invisible loudspeaker in one size for installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover.</p> <p>Dimensions: 625 x 410 x 52 mm, 4 Ohms, 40 Watts</p> <p>Order number: 108467100</p>	<p>969.- € RRP incl. VAT per piece</p>
	<p>Revox INV 40 carbon</p> <p>Invisible loudspeaker in one size for installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover. Suitable for outdoor use thanks to the special carbon membrane.</p> <p>Dimensions: 625 x 410 x 52 mm, 4 Ohms, 40 Watts</p> <p>Order number: 108467600</p>	<p>1,159.- € RRP incl. VAT per piece</p>
	<p>Revox INV 40 PE</p> <p>Invisible speaker with integrated passive equalisation. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover.</p> <p>Dimensions: 625 x 410 x 52 mm, 4 Ohms, 40 Watts</p> <p>Order number: 108467400</p>	<p>1,159.- € RRP incl. VAT per piece</p>
	<p>Revox INV 80</p> <p>Invisible speaker for the installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover.</p> <p>Dimensions: 625 x 410 x 52 mm, 8 Ohms, 80 Watts</p> <p>Order number: 108467200</p>	<p>1,399.- € RRP incl. VAT per piece</p>
	<p>Revox INV 80 carbon</p> <p>Invisible speaker for the installation in ceilings and walls. A primer allows installation under plaster or paint as well as gluing. The back of the speakers is protected by a plastic cover. Suitable for outdoor use thanks to the special carbon membrane.</p> <p>Dimensions: 625 x 410 x 52 mm, 8 Ohms, 80 Watts</p> <p>Order number: 108467700</p>	<p>1,659.- € RRP incl. VAT per piece</p>






INV HEX

	<p>Revox INV HEX</p> <p>Invisible speaker for bonding to hard surfaces such as plastic, wood or aluminum composite panels. Transforms vibrating surfaces into invisible loudspeakers by gluing them to the back. Thanks to its compact design and special high-efficiency cone, the INV HEX is extremely versatile. Includes 25g 2K high-performance adhesive.</p> <p>Dimensions: W 190 x H 220 x D 42 mm, impedance: 8 Ohms, performance: 60 Watts RMS, protection: high-pass filter (60 Hz), self-resetting overcurrent protection (PTC)</p> <p>Order number: 108465000</p>	<p>579.- € RRP incl. VAT per piece</p>
	<p>Revox INV HEX Cover</p> <p>The INV HEX cover offers a wide range of applications. The robust plastic housing with cable gland protects the INV HEX from external damage as well as moisture or dirt and extends its service life. The cover can also be used as a built-in housing. Once mounted over the INV HEX, the cover can be screwed to the surface through the existing holes or glued to the surface with Merbenit SF50.</p> <p>Dimensions: W 360 x H 360 x D 46 mm</p> <p>Order number: 108465001</p>	<p>79.- € RRP incl. VAT per piece</p>

Invisible Subwoofer

	<p>Revox INV SUB MK II</p> <p>High-performance subwoofer with special polymer cone invisibly installed under plaster, paint or wallpaper. Wide dispersion characteristics. Specially designed for invisible integration in drywall, solid construction, walls and ceilings. Very shallow installation depth. Impressive bass reproduction at high sound pressure levels. Simple installation and low-vibration housing design.</p> <p>Dimensions: 900 x 410 x 96 mm, 4 Ohms, 120 Wattst</p> <p>Order number: 108469650</p>	<p>1,099.- € RRP incl. VAT per piece</p>
	<p>Revox Invisible Subwoofer SW 200 IN</p> <p>Subwoofer with HI-PS plastic front for almost invisible integration into wood and material panels. Impressive low-frequency reproduction at high sound pressure. Discreet appearance. Easy installation and low-vibration cabinet design.</p> <p>Dimensions: 780 x 625x 94 mm, 8 Ohms, 400 Watts</p> <p>Order number: 108469616</p>	<p>1,999.- € RRP incl. VAT per piece</p>

Invisibles Accessories

	<p>Revox Invisible Highpass Protection Unit</p> <p>The high-pass filter protects Invisible speakers (4 Ohms/ 8 Ohms) from low-frequency bass components and thus relieves the speaker, both thermally and mechanically. Not required for Revox / Ecler DSP amplifiers.</p> <p>Order numbers: 108469907 (4 Ohms) 108469908 (8 Ohms)</p>	<p>229.- € RRP incl. VAT</p>
	<p>Revox Invisible 1K SMP Special Adhesive white 290 ml</p> <p>1K SMP special adhesive, solvent free, white, 290 ml. For gluing speakers and frames to the wall, but also for gluing soundboards over the entire surface in a solid material.</p> <p>Order number: 108469903</p>	<p>30.- € RRP incl. VAT</p>
	<p>Revox Invisible Installation Angle, drywall</p> <p>Installation aid for mounting Invisible speakers in a plaster-board wall or ceiling.</p> <p>Order numbers: 108469912 INV mini (W200 x H300 x D33 mm) 108469913 INV (W410 x H625 x D52 mm)</p>	<p>40.- € 50.- € RRP incl. VAT</p>
	<p>Revox Invisible Installation Frame, concrete</p> <p>Installation aid for mounting the Invisible loudspeaker in a concrete wall, ceiling or wall.</p> <p>Order numbers: 108469911 SW200 GK (W625 x H780 x D70 mm) 108469921 INV slim (W300 x H400 x D33 mm) 108469922 INV (W410 x H625 x D52 mm) 108469923 INV SUB/UNIT (W410 x H900 x D97 mm)</p>	<p>299.- € 229.- € 229.- € 229.- € RRP incl. VAT</p>
	<p>Revox Invisible Pouring Housing, concrete</p> <p>Placeholder for INV (W410 x H625 x D52 mm) when pouring the concrete, made of plastic material.</p> <p>Attention: Installation in concrete walls or concrete ceilings requires professional planning and implementation with regard to sound transmission. Please contact your authorized Revox partner or Revox.</p> <p>Order numbers: 108469924 INV (W410 x H625 x D52 mm) 108469925 INV SUB/UNIT (W410 x H900 x D97 mm)</p>	<p>349.- € 279.- € RRP incl. VAT</p>



Revox Multiuser | Multiroom System

For more than 30 years Revox has been the leading manufacturer of extraordinary solutions in the area of customizable multiroom systems to bring music of highest audio quality to many living spaces simultaneously. The music is reproduced uncompressed and lossless, with minimum response time and absolutely time synchronous in every room.











Revox Multiuser systems go even further than conventional Multiroom systems.

The new software platform Multiuser 3.0, developed by Revox, offers decisive advantages. In addition to the LAN cable, it is also possible to integrate several products for a Multiroom application via WLAN. Each available source and its specific content can be created as favourites individually for each user.

The concept offers each user a completely individual music experience. Personal favourites are immediately accessible for each user. Preferences of different users can be defined and easily and immediately operated. No matter whether in one room or in several rooms.






Multiusers Hardware

 	<p>Revox STUDIOMASTER M500</p> <p>High-end audio system also suitable for multiuser use. Incl. 4 user licences. Further information p. 4.</p> <p>Order numbers: 156500500 silver/black glass 156500510 white/black glass 156500520 black/black glass</p>	<p>3,995.- € RRP incl. VAT</p>
 	<p>Revox STUDIOMASTER M300</p> <p>High-end audio system also suitable for multiuser use. Incl. 4 user licences. Further information p. 5.</p> <p>Order numbers: 156500300 silver/black glass 156500310 white/black glass 156500320 black/black glass</p>	<p>3,295.- € RRP incl. VAT</p>
 	<p>Revox M30 Multiuser Amplifier</p> <p>Amplifier for the Revox Multiuser 3.0 System. WLAN Multi-room capable with 2 x 50 wattss, integrated Airplay 2 interface, In/Out trigger and connection option for a Revox wall control.</p> <p>Order number: 156300300</p>	<p>1,299.- € RRP incl. VAT</p>
	<p>Revox X44 DSP 4CH Amplifier</p> <p>4-channel stereo power amplifier with integrated digital signal processor (DSP) and 100 volt mode.</p> <p>Order number: 156304400</p>	<p>1,899.- € RRP incl. VAT</p>
	<p>Revox V219 Multiuser Amplifier</p> <p>Amplifier for the Revox Multiuser system with 2x50 watts, in/out trigger and connection options for a Revox wall-mounted control. Update to Multiuser 3.0 possible.</p> <p>Order number: 156300500</p>	<p>1,259.- € RRP incl. VAT</p>
 	<p>Revox V400 Multiuser Server</p> <p>The V400 Server supplies all room amplifiers and Multiuser modules with the relevant streams and coordinates the operation of apps or home control systems. Update to Multiuser 3.0 possible.</p> <p>Includes 2 user licenses with access to all sources provided by the server. (For additional licenses, see Multiuser Accessories.)</p> <p>Order number: 156301001</p>	<p>1,249.- € RRP incl. VAT</p>





 	<p>Revox Multiuser App for iOS and Android</p> <p>The patented simplest operation - worldwide. The newly developed Revox Multiuser App enables a very unique operation. Each user always has their favourites on his personal start page of the App.</p> <p>Each user can create their own user profile in the App. Individual rooms can be controlled individually and zones can be set up and operated.</p>	<p>Free of charge in Apple App-Store and Google Play Store</p>
	<p>Revox Multiuser I/O-HDMI Modul</p> <p>Optional module for the M30 Multiuser Amplifier with two classic audio inputs (analog and optical), an HDMI-ARC input and a configurable analog audio output. All audio inputs are audio-sensitive configurable, the HDMI-ARC input also has a CEC trigger.</p> <p>Order number: 156308100</p>	<p>269.- € RRP incl. VAT</p>
	<p>Revox Multiuser I/O Modul</p> <p>Optional module for the amplifier M30 and V219 with three classical and sensitive audio inputs (analogue, coaxial und optical) as a configurable analogue audio output.</p> <p>Order number: 156308000</p>	<p>229.- € RRP incl. VAT</p>
	<p>Revox Multiuser 19" Rack Shelf</p> <p>A shelf allows the installation of up to 2 Multiuser V219 or M30 amplifiers in a 19" rack with one height unit.</p> <p>Order number: 156309000</p>	<p>119.- € RRP incl. VAT</p>
	<p>Revox Multiuser Wall Bracket</p> <p>A bracket for mounting the V219 and V219b amplifier to a wall.</p> <p>Order number: 156309100</p>	<p>99.- € RRP incl. VAT</p>
	<p>Revox Multiuser 3.0 KNX Gateway</p> <p>The KNX Gateway allows the integration of the Multiuser 3.0 System into the building automation.</p> <p>Order number: 156309550</p>	<p>599.- € RRP incl. VAT</p>

M204 Accessories





	<p>Revox M204 IR Receiver</p> <p>IR receiver for installation behind covers or blanking plates from switch ranges.</p> <p>Order number: 172090600</p>	<p>119.- € RRP incl. VAT</p>
	<p>Revox M204 IR Receiver Aluminum housing</p> <p>This IR receiver can be placed discreetly almost anywhere.</p> <p>Order number: 172090400</p>	<p>149.- € RRP incl. VAT</p>
	<p>Revox M204 Receiver Flange</p> <p>IR receiver for integration in loudspeaker housings or other hollow bodies. Installation via a 20 mm mounting hole.</p> <p>Order numbers: 172090300 black 172090350 white</p>	<p>139.- € RRP incl. VAT</p>

Multiuser Licences

Order online via: www.revox.com/en/multiuser-multiroom/products/multiuser-licences/

	<p>Revox Multiuser 3.0 Remote License</p> <p>The Remote licence is activated by Revox on a device - specific basis and enables remote access to a Multiuser 3.0 server</p> <p>Order number: 156306040</p>	<p>100.- € RRP incl. VAT</p>
	<p>Revox Multiuser 3.0 Smart Home License</p> <p>The Smart Home license allows communication between Smart HomeServer and Multiuser 3.0 Server. Works with GIRA and Feller HomeServer. The license is activated device-specifically by Revox. Includes the GIRA HomeServer plugin.</p> <p>Order number: 156306041</p>	<p>250.- € RRP incl. VAT</p>
	<p>Revox Multiuser User License for V400 Server</p> <p>This license includes all sources provided by the server for 1 user, incl. audio stream, which includes internet, radio Internet, Radio, Favourites and the Audio Server. Incl. AirPlay, Spotify, Tidal and Deezer.</p> <p>Order number: 156306030</p>	<p>300.- € RRP incl. VAT</p>
	<p>Revox Multiuser Hotel License</p> <p>From the 8th user license, the hotel mode is automatically activated on the V400 (Multiuser 2 System). Please ask your Revox sales consultant for prices.</p>	

Interface Products

	<p>Revox Interface Multiuser 3.0 B77</p> <p>For connecting and controlling the Revox B77 MK III in a Multiuser 3.0 system. Any 3 functions can be operated.</p> <p>Order number: 156304903</p>	<p>319.- € RRP incl. VAT</p>
	<p>Revox Interface Multiuser 3.0 IR</p> <p>Converter of IP telegrams to infrared to control third party products via infrared commands, also as PoE (Power over Ethernet) version.</p> <p>Order numbers: 156304901 156304905 PoE</p>	<p>239.- € 319.- € RRP incl. VAT</p>
	<p>Revox Interface Multiuser 3.0 RS232</p> <p>Converter of IP telegrams to RS232 for controlling third-party products with serial interface, also as PoE (Power over Ethernet) version.</p> <p>Order numbers: 156304902 156304906 PoE</p>	<p>249.- € 319.- € RRP incl. VAT</p>
	<p>Revox Interface Multiuser 3.0 IR Learner</p> <p>Interface for teaching in infrared commands.</p> <p>Order number: 156304910</p>	<p>189.- € RRP incl. VAT</p>



Revox Control STUDIOCONTROL

Revox STUDIOCONTROL C200



The **STUDIOCONTROL C200** is an Android based and Google certified control with docking station. It is made of aluminum and equipped with a high-quality touch display.








It enables the comfortable control of audio systems and is suitable for various SMART HOME applications.

- Innovative control
- Easy installation of apps
- User-friendly operation
- High resolution touch display
- Outstanding Design
- Usable and within reach for everyone in the house
- Durable and robust due to the aluminium housing
- Individual setup and use of defined apps through the launcher mode




Order number: 156309200 black

999.- €
RRP
incl. VAT

Multiuser Control

 	<p>Revox C100 Multiuser Remote Control</p> <p>IIR remote control with LED feedback for the Revox Multiuser System 3.0 (requires an IR receiver in the room). 4 User favourite buttons, which are supplemented by 4 user and additional function buttons. CR2032 lithium batteries are included.</p> <p>Order number: 156310000 black</p>	<p>189.- € RRP incl. VAT</p>
	<p>Revox V208 Multiuser Fernbedienung</p> <p>IR remote control with LED feedback for the Revox Multiuser System 2.x (requires an IR receiver in the room). 4 user buttons, which are supplemented by additional source and function buttons. CR2032 lithium batteries are included.</p> <p>Order number: 156309400 black</p>	<p>149.- € RRP incl. VAT</p>
 	<p>Revox C18 Multiuser Wall Control</p> <p>Wall-mounted control unit for the Revox Multiuser System 3.0. Suitable for all 55 switch ranges such as Jung, Gira, Merten, Berker etc. Individual labeling of the buttons can be ordered via Revox. Without frame.</p> <p>Order numbers: 156307200 shiny white 156307203 anthracite 156307207 black</p>	<p>249.- € RRP incl. VAT</p>
 	<p>Revox C18 Multiuser Wall Control Frontplatte</p> <p>Front panel of the wall control unit for the Revox Multiuser System 3.0. Suitable for all 55 switch ranges such as Jung, Gira, Merten, Berker etc. Individual labeling of the buttons can be ordered via Revox. Without frame, incl. buttons.</p> <p>Order numbers: 156307210 shiny white 156307213 anthracite 156307217 black</p>	<p>39.- € RRP incl. VAT</p>

App Operation

	<p>Revox Multiuser App for iOS and Android</p> <p>The patented simplest operation - worldwide. The newly developed Revox Multiuser App enables a very unique operation. Each user always has their favourites directly on their personal start page of the App.</p> <p>Each user can create their own user profile in the App. Individual rooms can be controlled individually and zones can be set up and operated.</p>	<p>Free of charge in Apple App-Store and Google Play Store</p>
	<p>Revox STUDIOART App for iOS and Android</p> <p>For further information see page 12.</p>	<p>Free of charge in Apple App-Store and Google Play Store</p>
	<p>Revox Multiuser 2 App for iOS and Android</p> <p>For controlling the Revox Multiuser Systems Version 2.x. Provides access to various sources of the Multiuser System and also to the integrated audio services such as Internet radio or music server. Each user can be assigned rights for sources and rooms.</p>	<p>Free of charge in Apple App-Store and Google Play Store</p>



Revox Deutschland GmbH
www.revox.com